Prepared for InfraBuild Recycling ABN: 28002707262



### Ambient Air Monitoring Report, June 2021

### InfraBuild Recycling, Hexham

20-Jul-2021 Commercial-in-Confidence



NATA ACCREDITATION No. 2778 (14391) Accredited for compliance with ISO/IEC 17025 This document is issued in accordance with NATA's accreditation requirements. This document may not be reproduced except in full.



Delivering a better world

### Ambient Air Monitoring Report, June 2021

InfraBuild Recycling, Hexham

#### Client: InfraBuild Recycling

ABN: 28002707262

Prepared by

AECOM Australia Pty Ltd 17 Warabrook Boulevard, Warabrook NSW 2304, PO Box 73, Hunter Region MC NSW 2310, Australia T +61 2 4911 4900 F +61 2 4911 4999 www.aecom.com ABN 20 093 846 925

20-Jul-2021

Job No.: 60493017

AECOM in Australia and New Zealand is certified to ISO9001, ISO14001 AS/NZS4801 and OHSAS18001.

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles. AECOM may also have relied upon information provided by the Client and other third parties to prepare this document, some of which may not have been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

\_

### **Quality Information**

Document	Ambient Air Monitoring Report, June 2021
Ref	60493017
Date	20-Jul-2021
Prepared by	Cye Buckland
Reviewed by	Paul Wenta
AECOM Approved Signatory	Cye Buckland

#### **Revision History**

Rev	Revision Date	Details	Autho			
			Name/Position	Signature		
0	20-June-2021	Final Report	Paul Wenta Principal Scientist	Pour Wenter		

This page has been left blank intentionally.

### **Table of Contents**

1.0 2.0 3.0 4.0	Introduction Methodology Results Discussion	1 1 2 4						
Appendi	A Laboratory Certificates and Chain of Custody (5 pages)	A						
Appendix	Appendix B Wind Rose and Field Sheet (2 pages) E							
List of Fi	gures							
Figure 1 Figure 2 Figure 3	InfraBuild Recycling Dust Deposition Gauge Sampling Locations Insoluble Solids Monthly Plot Insoluble Solids Rolling Average Plot	1 3 3						
List of Ta	bles							
Table 1	Dust Deposition Results – June 2021	2						

### 1.0 Introduction

AECOM Pty Ltd (AECOM) was commissioned by InfraBuild Recycling Pty Ltd (InfraBuild) to undertake ambient air quality monitoring at their Hexham site. The purpose of the monitoring program is to demonstrate due diligence in the assessment of the air quality impacts of the metal recycling operation. This report presents the results from depositional dust gauge samples for June 2021, with sampling conducted from 8 June to 8 July 2021.

### 2.0 Methodology

The air quality monitoring network consists of six depositional dust gauges (DG1 - DG6) as shown in **Figure 1**. Dust gauges, with the exception of DG5, are positioned on or near the site boundary to allow analysis of dust potentially leaving the site. DG5 is located to the south east of the facility at the nearest residential receptor.

Monitoring of dust fallout is conducted in accordance with AS 3580.10.1:2016, with sampling conducted on a monthly basis. Prior to the 2020 sampling program, sampling had been conducted on a quarterly basis (4 monthly samples per year). Dust samples are analysed by Australian Laboratory Services (ALS) for the following constituents:

- Insoluble matter;
- Ash residue; and
- Combustible matter.

AECOM is National Association of Testing Authorities (NATA) accredited (Accreditation number 2778 (14391)) for DDG sampling while ALS is also NATA accredited for the analysis of these samples (Accreditation number 825). The formal guidelines for the assessment of depositional dust relate to insoluble matter, with the EPA publication *Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (2016), defining the criterion for insoluble matter as an annual average of 4 g/m<sup>2</sup>.month.



Figure 1 InfraBuild Recycling Dust Deposition Gauge Sampling Locations

### 3.0 Results

The June 2021 dust deposition results are presented in **Table 1**. Monitoring was conducted over the period 8 June to 8 July 2021 (30 Days). Laboratory analysis results are attached in ALS report EN2105907 provided in **Appendix A**. A wind rose for the sampling period created from data sourced from the DPIE Mayfield meteorology station is attached as **Appendix B** along with the field sheet.

AECOM has a calculated limit of uncertainty in regard to results. The estimation of measurement uncertainty in monitoring is conducted to provide an indication of the precision of the measurement result and a degree of confidence in the range of values the reported result may represent. The measurement of uncertainty has been calculated at  $\pm 5.3\%$ .

		Ash Co	ontent	Combustible	Annual Average			
Gauge	Insoluble Matter (g/m².month)	(g/m².month)	% of Insoluble Matter	Matter (g/m <sup>2</sup> .month)	Insoluble Matter (g/m².month)			
DG1	1.0	0.9	90	0.1	5.4			
DG2	2.0	1.6	80	0.4	4.1			
DG3	7.8	6.2	89	1.6	6.1			
DG4	0.6	0.6	100	<0.1	2.5			
DG5	2.6	2.3	88	0.3	1.2			
DG6	0.6	0.6	100	<0.1	1.2			

Table 1 Dust Deposition Results – June 2021

Bold denotes value above EPL Guideline.

For the June monitoring period DG5 (located at the nearest receptor) returned an Insoluble Solids result of 2.6 g/m<sup>2</sup>.month, below the 4 g/m<sup>2</sup>.month annual criteria.

The location D3 returned the highest result for this monitoring period at 7.8 g/m<sup>2</sup>.month, likely as a result of the predominant North Westerly winds. All other locations returned results below the 4 g/m<sup>2</sup>.month annual criteria.

The EPA guideline value for insoluble solids of 4 g/m<sup>2</sup>.month is expressed as an annual average and sampling has now been performed monthly for 12 consecutive months (after being performed quarterly in recent years). The annual averages can now be compared to the guideline, with sites DG1, DG2 and DG3 currently returning annual averages above 4 g/m<sup>2</sup>.month. The annual averages for DG1 and DG3 are trending lower over the last 12 months, while DG2 has stabilised around 4 g/m<sup>2</sup>.month.

Wind data has been sourced from DPIE Mayfield station with winds for the monitoring period predominantly from the North West quadrant, accounting for approximately 70% of all winds.

Plots detailing both the monthly Insoluble Solids and the Rolling Average Insoluble Solids results are provided in **Figure 2** and **Figure 3** respectively, noting that the annual averages remained indicative prior to April 2021 until 12 months of data was collected.



Figure 2 Insoluble Solids Monthly Plot



Figure 3 Insoluble Solids Rolling Average Plot

### 4.0 Discussion

Field observations suggest that for the June 2021 monitoring period the deposition consisted predominantly of inorganic material, with some decomposing matter present in the samples. Field notes indicate samples contained an estimated 900 to 1100 ml of rainwater and were clear in colour and turbidity.

The ash to insoluble solids ratio provides an indication of organic contamination and June ratios range between 88% and 100% indicating relatively low percentages of organic matter. No samples have been deemed contaminated for this monitoring period.

Winds for the monitoring period were predominantly from north west. Under these meteorological conditions monitoring locations DG3 and DG4 were downwind of the site operations for a significant portion of the month.

With the exception of DG5, dust gauges are located either on site or on the site boundary and provide an indication of on-site dust and any dust potentially leaving site. Three of the five rolling averages for the on-site sampling locations exceed the annual average criteria of 4 g/m<sup>2</sup>.month following June monitoring period.

These on-site gauges are in some cases impacted by site activities carried out in relatively close proximity to the sampling locations. The location of these gauges is such that results do not reflect the impact at the nearest residential receptor and should not be used as a measure of dust deposition at the nearest off-site receptor. These locations do provide an indication of conditions on site and any dust potentially leaving site.

DG5, the off-site location in the residential area to the south east of the facility (and established to measure impacts experienced at the nearest receptor) recorded a result of 2.6 g/m<sup>2</sup>.month for the June monitoring period, with the annual average at 1.2 g/m<sup>2</sup>.month, below the 4 g/m<sup>2</sup>.month annual criterion. Meteorology data indicates winds were such that this location was downwind of the site for a significant portion of the June monitoring period.

# Appendix A

## Laboratory Certificates and Chain of Custody (5 pages)

### Appendix A Laboratory Certificates and Chain of Custody (5 pages)



### **CERTIFICATE OF ANALYSIS**

Work Order	EN2105907	Page	: 1 of 4
Client	: AECOM Australia Pty Ltd	Laboratory	: Environmental Division Newcastle
Contact	: MR CYE BUCKLAND	Contact	: Tahlee Brook
Address	: 17 WARABROOK BOULEVARDE WARABROOK NSW, AUSTRALIA 2304	Address	: 5/585 Maitland Road Mayfield West NSW Australia 2304
Telephone	: +61 02 4911 4900	Telephone	: +61 2 4014 2500
Project	: 60493017 Task 6.2	Date Samples Received	: 08-Jul-2021 11:44
Order number	: 60493017 / 6.2	Date Analysis Commenced	: 09-Jul-2021
C-O-C number	:	Issue Date	: 19-Jul-2021 14:40
Sampler	:		
Site	:		
Quote number	: EN/004/20		Accreditation No. 825
No. of samples received	: 6		Accredited for compliance with
No. of samples analysed	: 6		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

#### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category					
Zoran Grozdanovski	Laboratory Operator	Newcastle - Inorganics, Mayfield West, NSW					



#### **General Comments**

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

\* = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

• Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m<sup>2</sup>.mth as sampling data was provided by the client.

Page	: 3 of 4
Work Order	: EN2105907
Client	: AECOM Australia Pty Ltd
Project	60493017 Task 6.2



### Analytical Results

Sub-Matrix: DEPOSITIONAL DUST (Matrix: AIR)			Sample ID	DG1 08/06/21 - 08/07/21	DG2 08/06/21 - 08/07/21	DG3 08/06/21 - 08/07/21	DG4 08/06/21 - 08/07/21	DG5 08/06/21 - 08/07/21
		Sampl	ing date / time	08-Jul-2021 00:00				
Compound	CAS Number	LOR	Unit	EN2105907-001	EN2105907-002	EN2105907-003	EN2105907-004	EN2105907-005
				Result	Result	Result	Result	Result
EA120: Ash Content								
Ash Content		0.1	g/m².month	0.9	1.6	6.2	0.6	2.3
Ash Content (mg)		1	mg	15	27	105	10	40
EA125: Combustible Matter								
Combustible Matter		0.1	g/m².month	0.1	0.4	1.6	<0.1	0.3
Combustible Matter (mg)		1	mg	3	7	27	<1	4
EA141: Total Insoluble Matter								
Total Insoluble Matter		0.1	g/m².month	1.0	2.0	7.8	0.6	2.6
Total Insoluble Matter (mg)		1	mg	18	34	132	10	44

Page	: 4 of 4
Work Order	: EN2105907
Client	: AECOM Australia Pty Ltd
Project	60493017 Task 6.2



### Analytical Results

Sub-Matrix: DEPOSITIONAL DUST (Matrix: AIR)			Sample ID	DG6 08/06/21 - 08/07/21	 	 
		Sampli	ing date / time	08-Jul-2021 00:00	 	 
Compound	CAS Number	LOR	Unit	EN2105907-006	 	 
				Result	 	 
EA120: Ash Content						
Ash Content		0.1	g/m².month	0.6	 	 
Ash Content (mg)		1	mg	10	 	 
EA125: Combustible Matter						
Combustible Matter		0.1	g/m².month	<0.1	 	 
Combustible Matter (mg)		1	mg	<1	 	 
EA141: Total Insoluble Matter						
Total Insoluble Matter		0.1	g/m².month	0.6	 	 
Total Insoluble Matter (mg)		1	mg	10	 	 

AECOM			CHAI	N OF CUSTO		CUM	IFN	ΤΔ-	ΓIΟ	N						. <u></u>						<del>—</del>		
CONTRACTOR: AECOM Austra	lia Pty Lim	nited																<i>a</i>						
POSTAL ADDRESS: PO BOX 7	3 HRMC N	ISW 2310		······································			LABORATORY BATCH NO: SAMPLERS:										~							
SEND REPORT TO: c buckland; N	tlair.labs@	Report also to Cye	Buckland				PHONE: 49114900 FAX: 4968005 E-MAIL:										-							
DATA NEEDED BY: 5 days		REPORT NEEDED	) BY: 5 days				REPORT FORMAT: HARD: D FAX: DISK: BULLETIN BOARD:									<u> </u>	E-MAIL: V							
PROJECT ID: 60493017 Task 6.2	QUOTE	NO.:						EVEL:		QCS1			///. 🖂	000						DAR	<u>.                                    </u>			
PO:	COMMENTS/SPECIAL HANDLING/STORAGE OR DIPOSAL:									QC LEVEL:         QCS1:         QCS2:         QCS3:√           ANALYSIS REQUIRED									<u></u> QC	S4:				
							ş				ľ					1010					7	1		
COOLER SEAL							Solids			ble	1			1							17	/	ĺ	
Yes							<u>p</u> e			Combustables										1	17	/		
Broken Intact COOLER TEMP: deg.C				<u> </u>			Insolubie	£		<u>q</u>											1/	V		
	MPLE DA	ТА	· · · · · · · · · · · · · · · · · · ·	CONTAIN			Ë	Ash	·	<u>8</u>										1		<u> </u>	NOTES	
SAMPLE ID		1	TIME	TYPE & PRESERVATIVE		T	-								—			<b></b>			<u> </u>			
1 DG1	DDG	8/6/21 to 8/7/21	30 days	TTPE & PRESERVATIVE	<u>NO.</u>	pH	x			$\overline{\nabla}^{\perp}$												$\square$	Funnel Diam	ieter
2 DG2	DDG	8/6/21 to 8/7/21			1			X	_	<u>X</u>										<u> </u>	┢		148	
3 DG3	DDG	8/6/21 to 8/7/21	30 days	· · · · · · · · · · · · · · · · · · ·			X	X		<u>X</u>				_						ļ	$\vdash$	$\square$	147	
<u>у DG3</u> Ч DG4			30 days	·	1		X	X		X												$\square$	147	
<u> </u>	DDG	8/6/21 to 8/7/21	30 days		1		X	X		X						1				•			148	
	DDG	8/6/21 to 8/7/21	_30 days		1		X	X		X			_					d Div	/isio	n	_		148	
6 DG6	DDG	8/6/21 to 8/7/21	30 days		1		<u> </u>	X		Х	_		-			astle		efere	0.00		_		147	
				[											F	λ ĺ Ω	11	)59	ΩÑ	7				
	<u> </u>														<b>1</b> I	чĽ	I C	103	50	1				
																	1811 a							
													_					١ŵ١.						
······································																Wa		L L L L						
													_			١Ŋ,		( <b>L</b> ))						
																				Ц		<u> </u>	<u></u>	
								· · · · ·		-			_	i ele	phone	: ~ 61	2 401	4 2500			-		<u> </u>	
													_											
								-		+			<u> </u>	1		T					┍──┤			
																					$\vdash$		<u> </u>	
·									_						-									
	·1		· · · · · · · · · · · · · · · · · · ·	·······	·								RECEN											
NAME: (BLOCKAR	A	Date:	118	21			NAME	IY I	M	Ô	1810			<u>7.4</u>	40	MA		DATE					OD OF SHIPME	
OF: AECOM			(	TIME: 1145			OF:		<b>.</b>			1	[	1. 1	<u>– 4</u>		L	TIME:				CONS	SIGNMENT NOT	ENO.
NAME :				DATE			NAME	:										DATE			-1	TRAN	SPORT CO. NA	ME
					***		OF:											TIME					0.000	
Container Type and Preservative Co	des: P = i	Neutral Plastic; N = N	litric Acid Pres	served; C = Sodium Hydroxi	de Preserved;	; J = Solver	nt Was	hed Ac	id Rinc	ed Ja	ır; S =	Solver	nt Was	hed Ac	id Rir	nced G	Slass	Bottle	;					
<pre>/C = Hydrochloric Acid Preserved Vi O = Other.</pre>	aı; v5 = S	ununic Acid Preserve	d Vial; BS = 3	Sulturic Acid Preserved Gla	ss Bottle; Z =	Zinc Aceta	ate Pre	served	Bottle;	E = E	EDTA I	Preser	ved Bo	ttles; S	ST = S	Sterile	Bottle	e;						

# Appendix B

## Wind Rose and Field Sheet (2 pages)

### Appendix B Wind Rose and Field Sheet (2 pages)



### CPFO451c (ENV) Air Analysis - Dust Monitoring Field Sheet

	Client:   InfraBuild Hexham     Date Collected:   8/2/2/				: Start Time:	60493017	Field S		(Buchlard 11:35				
		Q{				[0, 20	Collection Stop Time:		11:35				
Site	Time	Funnel Diameter (mm)	Installed Date	Collection Date	Water Level (mL)	Water Colour	Turbidity	Decomposing Matter	Comments				
DG1	10.40	148	8/6/21	8/7/21	1000	۲	C	Watter					
DG2	11.20	147	8/6/21	8/7/21	1000	۷.	C						
DG3	11:00	147	8/6/21	8/7/21	990	6	C						
DG4	11:10	148	8/6/21	8/7/21	1100	C							
DG5	11:35	148	8/6/21	8/7/21	1000	C							
DG6	10,59	147	8/6/21	8/7/21	1000	C	C						
							0						
	<i>a</i>												
Turbidity – Cle	ar (C), Slightly	Turbid (ST), Turbid	(T), Very Turbid	(VT).			Initials:	CB3					

\*