


1st Quarter Emissions Testing Report 2018

OneSteel Recycling Hexham



NATA ACCREDITATION No. 2778 (14391)
Accredited for compliance with ISO/IEC 17025 – Testing
The results of the tests, calibrations and/or measurements included in this document are
traceable to Australian/national standards
This document may not be reproduced except in full.

1st Quarter Emissions Testing Report 2018

OneSteel Recycling Hexham

Client: OneSteel Recycling Pty Ltd

ABN: 28 002 707 262

Prepared by

AECOM Australia Pty Ltd

17 Warabrook Boulevard, Warabrook NSW 2304, PO Box 73, Hunter Region MC NSW 2310, Australia

T +61 2 4911 4900 F +61 2 4911 4999 www.aecom.com

ABN 20 093 846 925

20-Apr-2018

Job No.: 60493017

AECOM in Australia and New Zealand is certified to ISO9001, ISO14001 AS/NZS4801 and OHSAS18001.

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles. AECOM may also have relied upon information provided by the Client and other third parties to prepare this document, some of which may not have been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

Quality Information

Document 1st Quarter Emissions Testing Report 2018

Ref 60493017

Date 20-Apr-2018

Prepared by Dylan Turnbull

Reviewed by Cye Buckland AECOM Approved Signatory



Revision History

Rev	Revision Date	Details	Authorised	
			Name/Position	Signature
0	20-Apr-18	Report for Issue	Chad Whitburn Associate Director - Compliance Services	

Table of Contents

1.0	Introduction	1
2.0	Sampling Plane Requirements	2
3.0	Methodology	3
3.1	NATA Accredited Methods	3
3.2	Equipment Calibration	3
4.0	Sampling Location	4
4.1	Sampling Location Summary	4
5.0	Results	5
Appendix A		
	Field Sheets (17 pages)	A
Appendix B		
	Laboratory Results (8 pages)	B

List of Tables

Table 1	Criteria for Selection of Sampling Planes (AS 4323.1)	2
Table 2	AECOM NATA Endorsed Methods	3
Table 3	Sampling Location Summary	4
Table 4	Shredder Baghouse Emission Results Summary, 28 March 2018	5
Table 5	Fine Particulate (PM ₁₀), Total Particulate and Hazardous Substance (Metals) Results, 28 March 2018	6
Table 6	Hazardous Substances (Metals) Elemental Analysis Results, 28 March 2018	7

1.0 Introduction

AECOM was appointed by OneSteel Recycling Pty Ltd to conduct a series of measurements to determine air emissions from the Shredder Baghouse Stack (EPL Point 1) at the Hexham facility. Measurements were required for NSW EPA licence compliance (EPL No. 5345).

Testing was undertaken on 28 March 2018 to investigate emission concentrations for the following parameters:

- Fine Particulates (PM_{10});
- Total Particulate (TP); and
- Hazardous Substances (Metals) including Lead and Mercury.

Laboratory analysis was undertaken by the following laboratories which hold NATA accreditation for the specified tests:

- Steel River Testing, laboratory NATA accreditation number 18079, performed the following analysis detailed in report number 15962-0-M & 15962-0-P:
 - Total Particulate (TP);
 - Fine Particulates (PM_{10}); and
 - Moisture.
- SGS Australia Pty Ltd, NATA accreditation number 2562, performed the following analysis detailed in report number ME306190 R0:
 - Hazardous Substances (Metals).

2.0 Sampling Plane Requirements

The criteria for sampling planes are specified in AS 4323.1-1995 (R2014).

Table 1 Criteria for Selection of Sampling Planes (AS 4323.1)

Type of flow disturbance	Minimum distance upstream from disturbance, diameters (D)	Minimum distance downstream from disturbance, diameters (D)
Bend, connection, junction, direction change	>2D	>6D
Louvre, butterfly damper (partially closed or closed)	>3D	>6D
Axial fan	>3D	>8D (see Note)
Centrifugal fan	>3D	>6D

NOTE: The plane should be selected as far as practicable from a fan. Flow straighteners may be required to ensure the position chosen meets the check criteria listed in Items (a) to (f) below.

- a. *The gas flow is basically in the same direction at all points along each sampling traverse;*
- b. *The gas velocity at all sampling points is greater than 3 m/s;*
- c. *The gas flow profile at the sampling plane shall be steady, evenly distributed and not have a cyclonic component which exceeds an angle of 15° to the duct axis, when measured near the periphery of a circular sampling plane;*
- d. *The temperature difference between adjacent points of the survey along each sampling traverse is less than 10% of the absolute temperature, and the temperature at any point differs by less than 10% from the mean;*
- e. *The ratio of the highest to lowest pitot pressure difference shall not exceed 9:1 and the ratio of highest to lowest gas velocities shall not exceed 3:1. For isokinetic testing with the use of impingers, the gas velocity ratio across the sampling plane should not exceed 1.6:1; and*
- f. *The gas temperature at the sampling plane should preferably be above the dewpoint.*

3.0 Methodology

3.1 NATA Accredited Methods

The following methods are accredited with the National Association of Testing Authorities (NATA) (accreditation number 2778 (14391)) and are approved for the sampling and analysis of gases. Specific details of the methods are available on request.

All sampling and analysis is conducted according to the methods in **Table 2**.

Table 2 AECOM NATA Endorsed Methods

NSW EPA Approved Methods	USEPA Methods	Method Title
AS4323.1 (NSW EPA TM-1)	USEPA (2000) Method 1	Selection of sampling positions
AS4323.2 (NSW EPA TM-15)	USEPA (2000) Method 5 under approved circumstances	Determination of total particulate matter – isokinetic manual sampling – gravimetric method
NSW EPA TM-2	USEPA (2000) Method 2	Determination of stack gas velocity and volumetric flow rate (type s pitot tube)
NSW EPA TM-22	USEPA (2000) Method 4	Determination of moisture content in stack gases
NSW EPA TM-23	USEPA (2000) Method 3	Gas analysis for the determination of dry molecular weight
NSW EPA OM-5	USEPA (1997) Method 201 or 201A (as appropriate)	Determination of PM ₁₀ emissions
NSW EPA TM-12,13 and 14	USEPA Method 29	Determination of metal emissions from stationary sources

All parameters are reported adjusted to 0°C at 1 atmosphere and dry gas.

3.2 Equipment Calibration

AECOM has a calibration schedule to ensure the emission testing equipment is maintained in good order and with known calibration. Equipment used in this project was calibrated according to the procedures and frequency identified in the AECOM calibration schedule. Details of the schedule and the calibration calculations are available on request.

4.0 Sampling Location

4.1 Sampling Location Summary

Table 3 provides a summary of the location sampled by AECOM on 28 March 2018.

Table 3 Sampling Location Summary

Discharge Description	Shredder Baghouse Stack (EPL Point 1)
Duct Shape	Circular
Construction Material	Metal
Duct Diameter (mm)	760
Minimum No. Sampling Points	12
Sampling Ports	2
Min. Points/Traverse	6
Disturbance	No
Distance from Upstream Disturbance	6.6D
Type of Disturbance	Bend
Distance from Downstream Disturbance	2.6D
Type of Disturbance	Stack Exit
Ideal Sampling Location	Yes
Correction Factors Applied	No
Total No. Points Sampled	12
Points/Traverse	6
Sampling Performed to Standard ¹	Yes

¹ AS 4323.1 Section 4.1

D = Diameters

5.0 Results

A summary of air emission test results is shown in **Table 4**. Detailed results along with gas stream properties during the testing period can be found in **Table 5**. Speciated Hazardous Substances (Metals) results are presented in **Table 6**. Emission concentrations are converted to standard conditions of 0°C, dry gas and 1 atm pressure for comparison with regulatory limits.

Field sheets and final calculations recorded during the project are attached as **Appendix A**. Laboratory reports can be referred to in **Appendix B**.

AECOM has a calculated limit of uncertainty in regards to results. The estimation of measurement uncertainty in source testing is conducted to provide an indication of the precision of the measurement result and a degree of confidence in the range of values the reported result may represent. The measurement of uncertainty has been calculated at $\pm 13.6\%$.

Table 4 Shredder Baghouse Emission Results Summary, 28 March 2018

Parameter	Emission Concentration (EPL Point 1)	Emission Concentration Limit
Total Particulate (TP) (mg/m ³)	36	100
Fine Particulate (PM ₁₀) (mg/m ³)	2.4	NA
Lead (mg/m ³)	0.0064	5.0
Mercury (mg/m ³)	<0.000082	1.0
Total Hazardous Substances (Metals) (mg/m ³)	0.048	NA

Results from testing conducted on EPL Point 1 on 28 March 2018 are below the regulatory limits listed in EPL 5345.

Table 5 Fine Particulate (PM₁₀), Total Particulate and Hazardous Substance (Metals) Results, 28 March 2018

Sampling Conditions:		
Stack internal diameter at test location	760 mm	
Stack gas temperature (average)	30.0 °C	303.2 K
Stack pressure (average)	1017 hPa	
Stack gas velocity (average, stack conditions)	6.8 m/s	
Stack gas flowrate (stack conditions)	3.1 m ³ /s	
Stack gas flowrate (0°C, dry gas, 1 atm pressure)	2.7 m ³ /s	
Fine Particulate (PM₁₀) Testing		
Test Period	10:01 -	11:31
Fine Particulate (PM ₁₀) Mass	2.6 mg	
Gas Volume Sampled	1.1 m ³	
Fine Particulate (PM ₁₀) Emission* ¹	2.4 mg/m ³	
Fine Particulate (PM ₁₀) Mass Emission Rate* ²	6.6 mg/s	
Regulatory Limit	NA	
Total Particulate Testing		
Test Period	10:01 -	11:31
Total Particulate Mass	36.6 mg	
Gas Volume Sampled	1.0 m ³	
Total Particulate Emission* ¹	36 mg/m ³	
Total Particulate Mass Emission Rate* ²	98 mg/s	
Regulatory Limit	100 mg/m ³	
Hazardous Substances (Metals) Testing		
Test Period	10:01 -	11:31
Hazardous Substances (Metals) Mass	0.058 mg	
Gas Volume Sampled	1.2 m ³	
Hazardous Substances (Metals) Emission* ¹	0.048 mg/m ³	
Hazardous Substances (Metals) Mass Emission Rate* ²	0.13 mg/s	
Regulatory Limit	NA	
Moisture Content (%)		
Gas Density (dry at 1 atmosphere)		
Dry Molecular Weight		

Notes *1 Emission concentration at Standard conditions of 0°C, 1 atm, dry gas

*2 Mass emission rate determined from pre and post-test sampling flow measurements and the respective test moisture content. See Q_{std} in field sheets and final calculations "Stack Analysis - Final Calculations" for each test.

Table 6 Hazardous Substances (Metals) Elemental Analysis Results, 28 March 2018

Sample	Total Particulate Metals (mg)	Total Particulate Metals (mg/m ³)	Total Gaseous Metals (mg)	Total Gaseous Metals (mg/m ³)	Total Oxidisable Mercury (mg)	Total Oxidisable Mercury (mg/m ³)	Total (mg)	Total (mg/m ³)	Mass Emission Rate (mg/s)
Antimony	0.00025	0.00021	0.000053	0.000044			0.00030	0.00025	0.00069
Arsenic	0.00033	0.00027	<0.0001	<0.000082			0.00033	0.00027	0.00074
Beryllium	<0.0001	<0.000082	<0.0001	<0.000082			<0.0001	<0.000082	<0.00023
Cadmium	0.034	0.028	0.00015	0.00012			0.034	0.028	0.077
Chromium	0.0029	0.0024	0.0015	0.0012			0.0044	0.0036	0.0099
Cobalt	0.00007	0.000058	<0.0001	<0.000082			0.00007	0.000058	0.00016
Copper	0.0050	0.0041	<0.0001	<0.000082			0.0050	0.0041	0.011
Lead	0.0068	0.0056	0.00091	0.00075			0.0080	0.0064	0.018
Magnesium	0.065	0.053	0.019	0.016			0.084	0.069	0.19
Manganese	0.0065	0.0053	<0.0099	<0.0081			0.0065	0.0053	0.015
Mercury	<0.0001	<0.000082	<0.0001	<0.000082	<0.0001	<0.000082	<0.0001	<0.000082	<0.00023
Nickel	0.0016	0.0013	0.0027	0.0022			0.0043	0.0035	0.0097
Selenium	<0.0001	<0.000082	<0.0001	<0.000082			<0.0001	<0.000082	<0.00023
Thallium	<0.0001	<0.000082	<0.0001	<0.000082			<0.0001	<0.000082	<0.00023
Tin	0.00037	0.00030	<0.0087	<0.0071			0.00037	0.00030	0.00083
Vanadium	0.0001	0.000082	<0.0001	<0.000082			0.0001	0.000082	0.00023
Zinc	0.60	0.49	0.0083	0.0068			0.61	0.50	1.4
Total Hazardous Metals*	0.053	0.043	0.0053	0.0043	<0.0001	<0.000082	0.058	0.048	0.13
Total Metals	0.72	0.59	0.033	0.027			0.76	0.62	1.7

* Total does not include Copper, Magnesium and Zinc as they are classed non-hazardous

This page has been left blank intentionally.

Appendix A

Field Sheets (17 pages)

Appendix A Field Sheets (17 pages)

Emission Measurement Calculations Spreadsheet**OneSteel Hexham**

AECOM's Project Number: 60493017

Emission Source: Shredder Stack

Date Sampled: 28-Mar-18

ANALYTE(S)**METHOD**

Fine Particulate (PM10) NSW EPA OM - 5

Total Particulate NSW EPA TM - 15

Hazardous Substances (Metals) NSW EPA TM - 12, 13 & 14

Observations made during testing period:

Sampling Performed By:


James Lang
Dylan Turnbull

STACK ANALYSIS - PRE-SAMPLING

Date: 28-Mar-18
 Client: OneSteel Hexham
 AECOM's Project No: 60493017
 Stack/Duct Description: Shredder Stack
 Test 1: Fine Particulate (PM10)
 Test 2: Total Particulate
 Test 3: Hazardous Substances (Metals)

Measurement/Observations				
Stack Internal Dimensions:				
Diameter OR Length/Width (mm)	760 mm Length	Width	Cross Sectional Area :	0.45 m ²
Equivalent Diameter	N/A	mm	Minimum No. of sampling points=	12
Distance from sampling plane to nearest disturbances:				Total No. of sampling points = 12 PM2.5/10= 12
Upstream (m) = 5 No. Diameters = 6.6	Type of Upstream Disturbance: Fan Entry	No. of sampling traverses/ports sampled =	2 PM2.5/10= 2	No. of sampling points on each traverse/port = 6 PM2.5/10= 6
Downstream (m) = 2 No. Diameters = 2.6	Type of Down Stream Disturbance: Stack Exit	Exclusion of any sample point numbers - comments:		
Position of each sampling point, for each traverse:		A	B	PM10/2.5 A PM2.5/10 B
No.	Distance from wall	S-type Pitot distances	Distance from wall	S-Type Pitot distances
1	33	3	33	3
2	111	81	111	81
3	225	195	225	195
4	535	505	535	505
5	649	619	649	619
6	727	697	727	697
7				
8				
9				
10			Check of total points against minimum, (yes/no) - comments:	
11				
12				
13				
14				
15				
16				
17				
18				
19			General Comments:	
20				
Signed:			Checked: C Benfield	

Emission Measurement Calculations Spreadsheet**STACK ANALYSIS - GAS COMPOSITION AND DENSITY PRE-SAMPLING**

Date: 28-Mar-18

Client: OneSteel Hexham

AECOM's Project No: 60493017

Stack/Duct Description: Shredder Stack

Test 1: Fine Particulate (PM10)

Test 2: Total Particulate

Test 3: Hazardous Substances (Metals)

Sampling time start:	9:54	Sampling port No.:	1		
Measurement No.	Time sampled	CO (ppm). (dry)	O ₂ (%), (dry)	CO ₂ (%), (dry)	
1	9:54	0	20.9	0.0	
2	9:55	0	20.9	0.0	
3	9:56	0	20.9	0.0	
4	9:57	0	20.9	0.0	
5	9:58	0	20.9	0.0	
6	9:59	0	20.9	0.0	
7	10:00	0	20.9	0.0	
8	10:01	0	20.9	0.0	
Averages:		0.0 ppm	20.9 %	0.0	%

Moisture content (M3): 0.98

Moisture percentage (M2): 2.50 %

Measurements

CO: 0.0000 %,(dry)	N ₂ : 79.1 %,(dry)
CO ₂ : 0.0 %,(dry)	O ₂ : 20.9 %,(dry)
Gas Compositions converted to wet basis:	
CO: 0.0000 %,(wet)	N ₂ : 77.1 %,(wet)
CO ₂ : 0.0 %,(wet)	O ₂ : 20.4 %,(wet)
H ₂ O: 2.50 %(=M2)	
Therefore, stack gas density (GD) =	1.28 kg/m ³ (0°C, wet, 1 atm pressure)
Therefore, stack gas density (GD) =	1.29 kg/m ³ (0°C, dry, 1 atm pressure)

Emission Measurement Calculations Spreadsheet**STACK ANALYSIS - GAS COMPOSITION AND DENSITY POST-SAMPLING**

Date: 28-Mar-18
 Client: OneSteel Hexham
 AECOM's Project No: 60493017
 Stack/Duct Description: Shredder Stack
 Test 1: Fine Particulate (PM10)
 Test 2: Total Particulate
 Test 3: Hazardous Substances (Metals)

Sampling time start:	11:24	Sampling port No.:	1		
Measurement No.	Time sampled	CO (ppm). (dry)	O ₂ (%), (dry)	CO ₂ (%), (dry)	
1	11:24	0	20.9	0.0	
2	11:25	0	20.9	0.0	
3	11:26	0	20.9	0.0	
4	11:27	0	20.9	0.0	
5	11:28	0	20.9	0.0	
6	11:29	0	20.9	0.0	
7	11:30	0	20.9	0.0	
8	11:31	0	20.9	0.0	
Averages:		0.0 ppm	20.9 %	0.0	%

Moisture content (M3): 0.98
 Moisture percentage (M2): 2.10 %

Measurements

CO: 0.0000 %,(dry)	N ₂ : 79.1 %,(dry)
CO ₂ : 0.0 %,(dry)	O ₂ : 20.9 %,(dry)
Gas Compositions converted to wet basis:	
CO: 0.0000 %,(wet)	N ₂ : 77.4 %,(wet)
CO ₂ : 0.0 %,(wet)	O ₂ : 20.5 %,(wet)
H ₂ O: 2.10 %(=M2)	
Therefore, stack gas density (GD) =	1.28 kg/m ³ (0°C, wet, 1 atm pressure)
Therefore, stack gas density (GD) =	1.29 kg/m ³ (0°C, dry, 1 atm pressure)

Stack Analysis - Pre Sampling Pitot Tube and Temperature Traverses

Date: 28-Mar-18
Client: OneSteel Hexham
AECOM's Project No: 60493017
Stack/Duct Description: Shredder Stack
Test 1:Fine Particulate (PM10)
Test 2:Total Particulate
Test 3:Hazardous Substances (Metals)

Static Pressure (Dwyer) (Pa): kPa
Static Pressure (U-tube, if required) : 4.2 mmHg
Absolute pressure in stack (hPa) : 1017.41 hPa

STACK ANALYSIS**SAMPLING OF HAZARDOUS SUBSTANCES (METALS)**

Date: 28-Mar-18

Client: OneSteel Hexham

AECOM's Project No: 60493017

Stack Description No.: Shredder Stack

Sample Nozzle No.:	G7	Sample Nozzle Area (An):	3.53	$\times 10^{-5} \text{ m}^2$
Sampling Port No.:	1 to 2	Thimble No:	0	
Page No:	1 of 1	Blank thimble No:		

Leak Check (Pre-Sampling)

Meter start:	578.1200	Meter finish:	578.1200	Meter start:	579.4828	Meter finish:	579.4828
Time start:	9:39	Time finish:	9:40	Time start:	11:35	Time finish:	11:36

Therefore, leakage rate = no leak L/min

(>0.1 l/min. is unacceptable)

Leak Check (Post Sampling)

Meter start:	579.4828	Meter finish:	579.4828	Meter start:	579.4828	Meter finish:	579.4828
Time start:	11:35	Time finish:	11:36	Time start:	11:35	Time finish:	11:36

Therefore, leakage rate = no leak L/min

(>0.1 l/min. is unacceptable)

Repeat:

Comments:

Repeat:

Comments:

Sampling Record Table

Barometric Pressure:	1017 hPa (start);	1017 hPa (finish)	
Meter start:	578.1266	Time start:	10:01
Meter correction factor (GMf) :	1.0100		

Sampling Position No.	Stopwatch Time at Sampling Position	Distance from far wall (mm)	Isokinetic Flowrate (L/min)	Meter Inlet Temp. (°C)	Meter Outlet Temp. (°C)	Impinger Train Outlet Temp (°C)	Flowrate Attained (Y/N)
1/1	0:07:30	33	13.9	27.0	24.0		Yes
1/2	0:15:00	111	12.2	31.0	25.0		Yes
1/3	0:22:30	225	14.1	35.0	26.0		Yes
1/4	0:30:00	535	15.8	39.0	27.0		Yes
1/5	0:37:30	649	14.6	42.0	28.0		Yes
1/6	0:45:00	727	15.8	44.0	28.0		Yes
2/1	0:52:30	33	14.1	46.0	29.0		Yes
2/2	1:00:00	111	14.1	48.0	29.0		Yes
2/3	1:07:30	225	13.5	48.0	30.0		Yes
2/4	1:15:00	535	15.8	48.0	30.0		Yes
2/5	1:22:30	649	14.1	48.0	31.0		Yes
2/6	1:30:00	727	14.6	48.0	31.0		Yes
Averages				42.0	28.2	no result	

Meter Finish:	579.4812	Time Finish:	11:31
Total Condensate collected:	2 ml	Silica gel No(s) used:	Z18

Stack Analysis - Post Sampling Pitot Tube and Temperature Traverses

Date: 28-Mar-18
Client: OneSteel Hexham
AECOM's Project No: 60493017
Stack/Duct Description: Shredder Stack
Test 1:Fine Particulate (PM10)
Test 2:Total Particulate
Test 3:Hazardous Substances (Metals)

Time :	11:40	Barometric Pressure :	1017	hPa	
Page No. :	1 of 1	Pitot Correction Factor :	0.84		
Sampling Port No:	1 to 2	Stack Gas Density:	1.28	kg/m ³	
Pitot Tube Type :	S			(0 °C, Wet, 1 Atm)	
Sampling Position No.	Distance from far wall (mm)	Max. Differential Pressure ΔP, kilo Pascals	Max Temp. °C	Max Temp. (Ts) K	Corrected Velocity (Vs) m/s
1/1	3	0.037	31.0	304.2	6.8
1/2	81	0.029	31.0	304.2	6.0
1/3	195	0.034	31.0	304.2	6.5
1/4	505	0.044	31.0	304.2	7.4
1/5	619	0.041	31.0	304.2	7.1
1/6	697	0.045	31.0	304.2	7.4
2/1	3	0.037	31.0	304.2	6.8
2/2	81	0.036	31.0	304.2	6.7
2/3	195	0.031	31.0	304.2	6.2
2/4	505	0.044	31.0	304.2	7.4
2/5	619	0.039	31.0	304.2	6.9
2/6	697	0.038	31.0	304.2	6.8
Average			31.0	304.2	6.8

Static Pressure (Dwyer) (Pa): kPa
Static Pressure (U-tube, if required) : 4.5 mm
Absolute pressure in stack (hPa) : 1017.44 hPa

Stack Analysis - Hazardous Substances Elemental Analysis ResultsDate: 28-Mar-18
AECOM's Project No:Client: OneSteel Hexham
60493017 Stack/Duct Description: Shredder Stack

Metal	Particulate Metals Results		Gaseous Metals Results		Oxidisable Mercury Results	
	Front Half, Filter, Acetone Rinses and Acid Rinses (mg). Containers 1, 2 and 3	Back Half, Impingers + Acid Rinses (mg) Container 4	KO Impinger + Acid Rinses (mg) (5A)	KMnO ₄ /H ₂ SO ₄ + Rinses (mg) (5B)	Residue Rinse 8N HCl (mg) (If Required) (5C)	
Antimony	0.00025	0.000053				
Arsenic	0.00033	<0.0001				
Beryllium	<0.0001	<0.0001				
Cadmium	0.034	0.00015				
Chromium	0.0029	0.0015				
Cobalt	0.00007	<0.0001				
Copper	0.005	<0.0001				
Lead	0.0068	0.00091				
Magnesium	0.065	0.019				
Manganese	0.0065	<0.0099				
Mercury	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Nickel	0.0016	0.0027				
Selenium	<0.0001	<0.0001				
Thallium	<0.0001	<0.0001				
Tin	0.00037	<0.0087				
Vanadium	0.0001	<0.0001				
Zinc	0.6	0.0083				

Note: Where the blank has returned a less than value, half of this value was subtracted from the sample result as a blank correction
ie for a blank value of <0.0005, 0.00025 was subtracted from the sample result.

* Total does not include Copper, Magnesium and Zinc as they are classed non-hazardous

Stack Analysis - Hazardous Substances Elemental Analysis Results ContinuedDate: 28-Mar-18
AECOM's Project No:Client: OneSteel Hexham
60493017 Stack/Duct Description: Shredder Stack

Sample	Total Particulate Metals (mg)	Total Particulate Metals (mg/m ³)	Total Gaseous Metals (mg)	Total Gaseous Metals (mg/m ³)	Total Oxidisable Mercury (mg)	Total Oxidisable Mercury (mg/m ³)	Total (mg)	Total (mg/m ³)	Mass Emission Rate (mg/s)
Antimony	0.00025	0.00021	0.000053	0.000044			0.00030	0.00025	0.00069
Arsenic	0.00033	0.00027	<0.0001	<0.000082			0.00033	0.00027	0.00074
Beryllium	<0.0001	<0.000082	<0.0001	<0.000082			<0.0001	<0.000082	<0.00023
Cadmium	0.034	0.028	0.00015	0.00012			0.034	0.028	0.077
Chromium	0.0029	0.0024	0.0015	0.0012			0.0044	0.0036	0.0099
Cobalt	0.00007	0.000058	<0.0001	<0.000082			0.00007	0.000058	0.00016
Copper	0.0050	0.0041	<0.0001	<0.000082			0.0050	0.0041	0.011
Lead	0.0068	0.0056	0.00091	0.00075			0.0080	0.0064	0.018
Magnesium	0.065	0.053	0.019	0.016			0.084	0.069	0.19
Manganese	0.0065	0.0053	<0.0099	<0.0081			0.0065	0.0053	0.015
Mercury	<0.0001	<0.000082	<0.0001	<0.000082	<0.0001	<0.000082	<0.0001	<0.000082	<0.00023
Nickel	0.0016	0.0013	0.0027	0.0022			0.0043	0.0035	0.0097
Selenium	<0.0001	<0.000082	<0.0001	<0.000082			<0.0001	<0.000082	<0.00023
Thallium	<0.0001	<0.000082	<0.0001	<0.000082			<0.0001	<0.000082	<0.00023
Tin	0.00037	0.00030	<0.0087	<0.0071			0.00037	0.00030	0.00083
Vanadium	0.0001	0.000082	<0.0001	<0.000082			0.0001	0.000082	0.00023
Zinc	0.60	0.49	0.0083	0.0068			0.61	0.50	1.4
Total Hazardous Metals*	0.053	0.043	0.0053	0.0043	<0.0001	<0.000082	0.058	0.048	0.13
Total Metals	0.72	0.59	0.033	0.027			0.76	0.62	1.7

* Total does not include Copper, Magnesium and Zinc as they are classed non-hazardous

STACK ANALYSIS - FINAL CALCULATIONS**Fine Particulate (PM10)**

(Calculations performed in accordance with relevant test method as defined on cover page)

Date: 28-Mar-18

AECOM's Project No:

Client: OneSteel Hexham

60493017 Stack/Duct Description: Shredder Stack

(A) Sample gas volume at standard conditionsMetered volume (MV_3):1.2117 m³Average barometric pressure (P_{BARO})

1017 hPa

Average gas meter temp. ($T_{M,2}$):

31.8 °C

305.0 K

Average pressure at meter ($P_{M,2}$)

1017.00 hPa

Sample gas volume (MV_4); (0°C, dry

gas, 1 atm pressure):

1.0894 m³**(B) PM10 concentration at standard conditions**

Blank thimble No.: 0

Blank weight:

g

Thimble No. used: T535

PM10 Weight

0.0026 g

Final PM10 Weight (M_{p1}):

0.00260 g

= $M_{p1}/MV_4 =$ 0.0024 g/m³ (0°C, dry gas, 1atm pressure)

PM10 Concentration (C1):

= $M_{p1}/MV_4 =$;and $C_2 =$ 2.4 mg/m³ (0°C, dry gas, 1atm pressure)CO₂ Basis 12 %;and $C_2 =$ Average CO₂%: 0.0 %;and $C_{c1} =$ Therefore, C_c:= $C_a \times 12/\text{CO}_2\% =$ 0.0024 g/m³ (0°C, dry gas, 1atm pressure, 12% CO₂)O₂ Basis 7 %Average O₂%: 20.9 %;and $C_{c1} =$ 2.4 mg/m³ (0°C, dry gas, 1atm pressure, 12% CO₂)Therefore, C_b:= $C_a \times (21 - O_{2\text{ref}}\%)/(21 - O_{2\text{mea}}\% =$ 0.34 g/m³ (0°C, dry gas, 1atm pressure, 7% O₂);and $C_{b1} =$ 340 mg/m³ (0°C, dry gas, 1atm pressure, 7% O₂)**(C) Moisture content**

Silica Gel Number: G046

 $V_v =$ 14.7 g (from laboratory report) $V_w =$

4 mL (=grams)

Volume of Water Vapour Condensed ($V_{wc(\text{std})}$) = 0.0053

(recorded on

Volume of Water Vapour Condensed ($V_{wsg(\text{std})}$) = 0.0196

Laboratory Form

Therefore, $B_{ws} = \frac{(V_{wc(\text{std})} + V_{wsg(\text{std})})}{(V_{wc(\text{std})} + V_{wsg(\text{std})} + V_{m(\text{std})})}$

108)

 $B_{ws} =$

2.24 %

ANZ

Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

STACK ANALYSIS - FINAL CALCULATIONS CONTINUED**Fine Particulate (PM10)**

(D) Gas Composition and Density (Re-calculation)

(i) Initial gas density for sampling: 1.28 kg/m³ (from Laboratory Form 107)(ii) Re-calculated gas density based on moisture content in (c):
1.27 kg/m³ (0°C, wet, 1 atm pressure)
1.29 kg/m³ (0°C, dry, 1 atm pressure)

$$\begin{aligned} \text{(iii) Gas density at stack conditions} &= \frac{\text{(ii)} \times \frac{(273.2)}{(273.2+T_s)} \times \frac{(P_s)}{(1013.25)}}{} \\ &= 1.149 \text{ kg/m}^3 \text{ (stack conditions, wet)} \end{aligned}$$

(E) Gas Velocities

(i) Average of pre-sampling velocities: 6.83 m/s

(ii) Average of post-sampling velocities: 6.83 m/s

(iii) Average of while-sampling velocities: N/A m/s

(iv) Overall average of pre-sampling and post-sampling velocities (Vs):
6.83 m/s (stack conditions, wet)
N/A m/s (stack conditions, wet)(Note: (Vs) is from all individual data, **not** from (i) and (ii) alone.)

(F) Volumetric Flowrates (Reference Method US-EPA Method 2, NSW-EPA TM-2)

Q_{stack} = Vs x A = 3.10 m³/s (stack conditions)

$$Q_{std} = Q_{stack} \times \frac{P_s}{(P_{std})} \times \frac{(T_{std})}{(T_s)} \times \frac{(100 - B_w)}{100}$$

Q_{std} = 2.7 m³/s (0°C, dry gas, 1 atm pressure)

(G) Mass Emission Rate

$$\begin{aligned} R_m &= C_{1a} \times Q_{std} = 0.0066 \text{ g/s (0°C, dry gas, 1 atm pressure)} \\ &= 6.6 \text{ mg/s (0°C, dry gas, 1 atm pressure)} \end{aligned}$$

STACK ANALYSIS - FINAL CALCULATIONS**Total Particulate**

(Calculations performed in accordance with relevant test method as defined on cover page)

Date: 28-Mar-18
AECOM's Project No:Client: OneSteel Hexham
60493017 Stack/Duct Description: Shredder Stack**(A) Sample gas volume at standard conditions**

Metered volume (MV_3):	1.1379 m ³	Average barometric pressure (P_{BARO})	1017 hPa
Average gas meter temp. ($T_{M,2}$):	35.6 °C	Average pressure at meter ($P_{M,2}$)	1017.00 hPa
	308.8 K		
Sample gas volume (MV_4); (0°C, dry gas, 1 atm pressure):	1.0104 m ³		

(B) Total Particulate concentration at standard conditions

Blank thimble No.:		Blank weight:	g
Thimble No. used:	T540	Total Particulate Weight	0.0366 g
Final Total Particulate Weight (M_p1):	0.03660 g		
Total Particulate Concentration (C_1):	= M_p1/MV_4	0.036 g/m ³ (0°C, dry gas, 1atm pressure)	

;and C_2 = 36 mg/m³ (0°C, dry gas, 1atm pressure)CO₂ Basis 12 %Average CO₂%: 0.0 %Therefore, C_c : = $C_a \times 12/\text{CO}_2\% =$ 0.036 g/m³ (0°C, dry gas, 1atm pressure, 12% CO₂);and $C_{c1} =$ 36 mg/m³ (0°C, dry gas, 1atm pressure, 12% CO₂)O₂ Basis 7 %Average O₂%: 20.9 %Therefore, C_b : = $C_a \times (21 - \text{O}_{2\text{ref}}\%)/(21 - \text{O}_{2\text{mea}}\%)$ 5 g/m³ (0°C, dry gas, 1atm pressure, 7% O₂);and $C_{b1} =$ 5000 mg/m³ (0°C, dry gas, 1atm pressure, 7% O₂)**(C) Moisture content**

Silica Gel Number: I01

 $V_v =$ 11.2 g (from laboratory report) $V_w =$ 8 mL (=grams)
Volume of Water Vapour Condensed ($V_{wc(\text{std})}$) = 0.0107 (recorded on Laboratory Form 108)
Volume of Water Vapour Condensed ($V_{wsg(\text{std})}$) = 0.0150Therefore, $B_{ws} =$ $\frac{(V_{wc(\text{std})} + V_{wsg(\text{std})})}{(V_{wc(\text{std})} + V_{wsg(\text{std})} + V_{m(\text{std})})}$ $B_{ws} =$ 2.47 %

ANZ

Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

STACK ANALYSIS - FINAL CALCULATIONS CONTINUED**Total Particulate**

(D) Gas Composition and Density (Re-calculation)

(i) Initial gas density for sampling: 1.28 kg/m³ (from Laboratory Form 107)(ii) Re-calculated gas density based on moisture content in (c): 1.28 kg/m³ (0°C, wet, 1 atm pressure)
1.29 kg/m³ (0°C, dry, 1 atm pressure)

$$\text{(iii) Gas density at stack conditions} = \frac{\text{(ii)} \times \frac{273.2}{(273.2+Ts)} \times \frac{Ps}{1013.25}}{= 1.158 \text{ kg/m}^3 \text{ (stack conditions, wet)}}$$

(E) Gas Velocities

(i) Average of pre-sampling velocities: 6.83 m/s

(ii) Average of post-sampling velocities: 6.83 m/s

(iii) Average of while-sampling velocities: N/A m/s

(iv) Overall average of pre-sampling and post-sampling velocities (Vs): 6.83 m/s (stack conditions, wet)
N/A m/s (stack conditions, wet)**(Note:** (Vs) is from all individual data, **not** from (i) and (ii) alone.)

(F) Volumetric Flowrates (Reference Method US-EPA Method 2, NSW-EPA TM-2)

Qstack = Vs x A = 3.10 m³/s (stack conditions)

$$Qstd = Qstack \times \frac{Ps}{Pstd} \times \frac{(Tstd)}{(Ts)} \times \frac{(100 - B_w)}{100}$$

Qstd = 2.7 m³/s (0°C, dry gas, 1 atm pressure)

(G) Mass Emission Rate

$$Rm = C_{1a} \times Qstd = 0.098 \text{ g/s (0°C, dry gas, 1 atm pressure)} \\ = 98 \text{ mg/s (0°C, dry gas, 1 atm pressure)}$$

STACK ANALYSIS - FINAL CALCULATIONS**Hazardous Substances (Metals)**

(Calculations performed in accordance with relevant test method as defined on cover page)

Date: 28-Mar-18
AECOM's Project No:Client: OneSteel Hexham
60493017 Stack/Duct Description: Shredder Stack**(A) Sample gas volume at standard conditions**

Metered volume (MV_3):	1.3681 m ³	Average barometric pressure (P_{BARO})	1017 hPa
Average gas meter temp. ($T_{M,2}$):	35.1 °C	Average pressure at meter ($P_{M,2}$)	1017.00 hPa
	308.3 K		
Sample gas volume (MV_4); (0°C, dry gas, 1 atm pressure):			1.2168 m ³

(B) Metals concentration at standard conditions

Blank thimble No.:		Blank weight:	g
Thimble No. used:	0	Metals Weight	0.000058 g
Final Metals Weight (M_p1):	0.00006 g		
Metals Concentration (C_1):	= $M_p1/MV_4 =$	0.000048 g/m ³ (0°C, dry gas, 1atm pressure)	
	;and $C_2 =$	0.048 mg/m ³ (0°C, dry gas, 1atm pressure)	
CO ₂ Basis	12 %		
Average CO ₂ %:	0.0 %		
Therefore, C_a :	= $C_a \times 12/\text{CO}_2\% =$	0.000048 g/m ³ (0°C, dry gas, 1atm pressure, 12% CO ₂)	
	;and $C_{a1} =$	0.048 mg/m ³ (0°C, dry gas, 1atm pressure, 12% CO ₂)	
O ₂ Basis	7 %		
Average O ₂ %:	20.9 %		
Therefore, C_b :	= $C_a \times (21 - O_{2\text{ref}\%})/(21 - O_{2\text{mea}\%})$	0.0067 g/m ³ (0°C, dry gas, 1atm pressure, 7% O ₂)	
	;and $C_{b1} =$	6.7 mg/m ³ (0°C, dry gas, 1atm pressure, 7% O ₂)	

(C) Moisture content

Silica Gel Number: Z18

$V_v =$	12.6 g (from laboratory report)	$V_w =$	2 mL (=grams) (recorded on Laboratory Form 108)
Volume of Water Vapour Condensed ($V_{wc(\text{std})}$) =	0.0027		
Volume of Water Vapour Condensed ($V_{wsg(\text{std})}$) =	0.0168		
Therefore, $B_{ws} =$	$\frac{(V_{wc(\text{std})} + V_{wsg(\text{std})})}{(V_{wc(\text{std})} + V_{wsg(\text{std})} + V_{m(\text{std})})}$		
$B_{ws} =$	1.58 %		

ANZ

Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

STACK ANALYSIS - FINAL CALCULATIONS CONTINUED**Hazardous Substances (Metals)**

(D) Gas Composition and Density (Re-calculation)

(i) Initial gas density for sampling: 1.28 kg/m³ (from Laboratory Form 107)(ii) Re-calculated gas density based on moisture content in (c): 1.27 kg/m³ (0°C, wet, 1 atm pressure)
1.29 kg/m³ (0°C, dry, 1 atm pressure)

$$\begin{aligned} \text{(iii) Gas density at stack conditions } &= \frac{\text{(ii)} \times \frac{(273.2)}{(273.2+Ts)} \times \frac{(Ps)}{(1013.25)}}{=} \\ &1.149 \text{ kg/m}^3 \text{ (stack conditions, wet)} \end{aligned}$$

(E) Gas Velocities

(i) Average of pre-sampling velocities: 6.83 m/s

(ii) Average of post-sampling velocities: 6.83 m/s

(iii) Average of while-sampling velocities: N/A m/s

(iv) Overall average of pre-sampling and post-sampling velocities (Vs): 6.83 m/s (stack conditions, wet)
N/A m/s (stack conditions, wet)(Note: (Vs) is from all individual data, **not** from (i) and (ii) alone.)

(F) Volumetric Flowrates (Reference Method US-EPA Method 2, NSW-EPA TM-2)

Q_{stack} = Vs × A = 3.10 m³/s (stack conditions)

$$Q_{std} = Q_{stack} \times \frac{Ps}{(P_{std})} \times \frac{(T_{std})}{(Ts)} \times \frac{(100 - B_w)}{100}$$

Q_{std} = 2.8 m³/s (0°C, dry gas, 1 atm pressure)

(G) Mass Emission Rate

$$\begin{aligned} Rm = C_{1a} \times Q_{std} &= 0.00013 \text{ g/s (0°C, dry gas, 1 atm pressure)} \\ &= 0.13 \text{ mg/s (0°C, dry gas, 1 atm pressure)} \end{aligned}$$

EMISSION MONITORING RESULTS, SHREDDER STACK ONESTEEL HEXHAM			
28-Mar-18			
FINE PARTICULATE (PM10)			
TOTAL PARTICULATE			
HAZARDOUS SUBSTANCES (METALS)			
Sampling Conditions:			
Stack internal diameter at test location	760 mm		
Stack gas temperature (average)	30.0 °C	303.2 K	
Stack pressure (average)	1017 hPa		
Stack gas velocity (average, stack conditions)	6.8 m/s		
Stack gas flowrate (stack conditions)	3.1 m ³ /s		
Stack gas flowrate (0°C, dry gas, 1 atm pressure)	2.7 m ³ /s		
Fine Particulate (PM10) Testing			
Test Period	10:01	-	11:31
Fine Particulate (PM10) Mass	2.6 mg		
Gas Volume Sampled	1.1 m ³		
Fine Particulate (PM10) Emission*1	2.4 mg/m ³		
Fine Particulate (PM10) Mass Emission Rate*2	6.6 mg/s		
Regulatory Limit	NA		
Total Particulate Testing			
Test Period	10:01	-	11:31
Total Particulate Mass	36.6 mg		
Gas Volume Sampled	1.0 m ³		
Total Particulate Emission*1	36 mg/m ³		
Total Particulate Mass Emission Rate*2	98 mg/s		
Regulatory Limit	100 mg/m ³		
Hazardous Substances (Metals) Testing			
Test Period	10:01	-	11:31
Hazardous Substances (Metals) Mass	0.058 mg		
Gas Volume Sampled	1.2 m ³		
Hazardous Substances (Metals) Emission*1	0.048 mg/m ³		
Hazardous Substances (Metals) Mass Emission Rate*2	0.13 mg/s		
Regulatory Limit	NA		
Moisture Content (%)			
Gas Density (dry at 1 atmosphere)	2.0		
Dry Molecular Weight	1.29 kg/m ³		
28.8 g/g-mole			

Notes *1 Emission concentration at Standard conditions of 0°C, 1 atm, dry gas

*2 Mass emission rate determined from pre and post test sampling flow measurements and the respective test moisture content. See Q_{std} in field sheets and final calculations "Stack Analysis - Final Calculations" for each test.

Appendix B

Laboratory Results
(8 pages)

Appendix B Laboratory Results (8 pages)

Steel River Testing

5/11 McIntosh Drive, Mayfield West, NSW 2304
Phone: 02 49677880

STACK EMISSION - MOISTURE REPORT

Origin: AECOM - Newcastle **Report :** 15692-0-M **Page 1 of 1**
Project: 60493017

Description : Stack Emission Samples **Date :** 29-Mar-18
Received: 28-Mar-18

Report To : Cye Buckland **Copy to:** FILE
17 Warabrook Blvd, Warabrook NSW 2304

Jar ID	Moisture (g)
G046	14.7
I01	11.2
Z18	12.6



NATA Accredited Laboratory 18079
Accredited for compliance with
ISO/IEC 17025 - Testing

Reported By: M. Campbell
Michael Campbell

Determined in Accordance With:
Moisture content in stack gases by gravimetric
using in-house M301

Steel River Testing

5/11 McIntosh Drive, Mayfield West, NSW 2304
Phone: 02 49677880

STACK EMISSION - PARTICULATES REPORT

Origin: AECOM - Newcastle **Report :** 15692-0-P **Page** 1 of 1
Project: 60493017

Description : Stack Emission Samples **Date :** 29-Mar-18
Received: 28-Mar-18

Report To : Cye Buckland **Copy to:** FILE
17 Warabrook Blvd, Warabrook NSW 2304

Thimble ID		Total Volume (mL)	Total Particulate Matter (g)
T535	Filter	-	0.0026
T540	Filter	-	0.0366



NATA Accredited Laboratory 18079
Accredited for compliance with
ISO/IEC 17025 - Testing

Note : Sampled by Client

Reported By: M. Campbell

Michael Campbell

Determined in Accordance With:
Particulate matter - total in stack gases by
gravimetric using in-house M300;
Acetone/Water Rinse using AS4323.2



ANALYTICAL REPORT



Accreditation No. 2562

CLIENT DETAILS

Contact Cye Buckland
Client AECOM Australia Pty Ltd
Address 17 Warabrook Boulevard
Warabrook
SYDNEY NSW 2304

Telephone 02 8295 3600
Facsimile 02 8934 0001
Email cye.buckland@aecom.com

Project 60493017/3.1
Order Number 60493017/3.1
Samples 12

LABORATORY DETAILS

Manager Adam Atkinson
Laboratory SGS Melbourne EH&S
Address 10/585 Blackburn Road
Notting Hill Victoria 3168

Telephone +61395743200
Facsimile +61395743399
Email Au.SampleReceipt.Melbourne@sgs.com

SGS Reference ME306190 R0
Date Received 29 Mar 2018
Date Reported 11 Apr 2018

COMMENTS

Accredited for compliance with ISO/IEC 17025 - Testing. NATA accredited laboratory 2562(14420).

SIGNATORIES

Weiming Dai
Inorganic Supervisor

Weiming Dai
Senior Chemist



ANALYTICAL REPORT

ME306190 R0

Parameter	Sample Number	ME306190.001	ME306190.002	ME306190.003	ME306190.004
	Sample Matrix	Filter	Filter	Impinger	Impinger
	Sample Date	28 Mar 2018	28 Mar 2018	28 Mar 2018	28 Mar 2018
	Sample Name	Metals 1	Metals 12	Metals 3	Metals 4

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29_FILT Tested: 4/4/2018

Parameter	Units	LOR				
Sb	µg total	0.05	0.13	<0.05	-	-
As	µg total	0.05	0.71	0.38	-	-
Be	µg total	0.05	<0.05	<0.05	-	-
Cd	µg total	0.05	34	<0.05	-	-
Cr	µg total	0.05	4.5	1.6	-	-
Co	µg total	0.05	0.12	<0.05	-	-
Cu	µg total	0.05	5.6	0.59	-	-
Pb	µg total	0.05	7.2	0.45	-	-
Mg	µg total	0.05	260	200	-	-
Mn	µg total	0.05	9.0	1.5	-	-
Hg	µg total	0.05	<0.05	<0.05	-	-
Ni	µg total	0.05	1.8	0.18	-	-
Se	µg total	0.05	<0.05	<0.05	-	-
Tl	µg total	0.05	<0.05	<0.05	-	-
Sn	µg total	0.05	0.42	0.05	-	-
V	µg total	0.25	1.4	1.3	-	-
Zn	µg total	0.05	5900	5300	-	-

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (ug total) Method: EPA29_METIMP Tested: 10/4/2018

Parameter	Units					
Sb	µg total	0.1	-	-	<0.1	0.1
As	µg total	0.1	-	-	<0.1	<0.1
Be	µg total	0.1	-	-	<0.1	<0.1
Cd	µg total	0.1	-	-	<0.1	0.2
Cr	µg total	0.1	-	-	<0.1	1.6
Co	µg total	0.1	-	-	<0.1	<0.1
Cu	µg total	0.1	-	-	<0.1	<0.1
Pb	µg total	0.1	-	-	<0.1	1.1
Mg	µg total	0.1	-	-	6.0	21
Mn	µg total	0.1	-	-	0.2	2600
Hg	µg total	0.1	-	-	<0.1	<0.1
Ni	µg total	0.1	-	-	<0.1	2.9
Se	µg total	0.1	-	-	<0.1	<0.1
Tl	µg total	0.1	-	-	<0.1	<0.1
Sn	µg total	0.1	-	-	<0.1	6.3
V	µg total	0.1	-	-	<0.1	<0.1
Zn	µg total	0.1	-	-	1.2	12
Sample Volume*	mL	-	-	-	92	280



ANALYTICAL REPORT

ME306190 R0

Sample Number	ME306190.005	Sample Matrix	Impinger	ME306190.006	Sample Date	Impinger	ME306190.007	Sample Name	Impinger	ME306190.008
					28 Mar 2018			Metals 8A		
						28 Mar 2018		Metals 9		
								Metals 5A		

Parameter	Units	LOR								
-----------	-------	-----	--	--	--	--	--	--	--	--

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29_FILT Tested: 10/4/2018

Sb	µg total	0.05	-	-	-	-	-	-	-	-
As	µg total	0.05	-	-	-	-	-	-	-	-
Be	µg total	0.05	-	-	-	-	-	-	-	-
Cd	µg total	0.05	-	-	-	-	-	-	-	-
Cr	µg total	0.05	-	-	-	-	-	-	-	-
Co	µg total	0.05	-	-	-	-	-	-	-	-
Cu	µg total	0.05	-	-	-	-	-	-	-	-
Pb	µg total	0.05	-	-	-	-	-	-	-	-
Mg	µg total	0.05	-	-	-	-	-	-	-	-
Mn	µg total	0.05	-	-	-	-	-	-	-	-
Hg	µg total	0.05	-	-	-	-	-	-	-	-
Ni	µg total	0.05	-	-	-	-	-	-	-	-
Se	µg total	0.05	-	-	-	-	-	-	-	-
Tl	µg total	0.05	-	-	-	-	-	-	-	-
Sn	µg total	0.05	-	-	-	-	-	-	-	-
V	µg total	0.25	-	-	-	-	-	-	-	-
Zn	µg total	0.05	-	-	-	-	-	-	-	-

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (ug total) Method: EPA29_METIMP Tested: 4/4/2018

Sb	µg total	0.1	<0.1	<0.1	-	-	-	-	-	-
As	µg total	0.1	<0.1	<0.1	-	-	-	-	-	-
Be	µg total	0.1	<0.1	<0.1	-	-	-	-	-	-
Cd	µg total	0.1	<0.1	<0.1	-	-	-	-	-	-
Cr	µg total	0.1	<0.1	<0.1	0.1	-	-	-	-	-
Co	µg total	0.1	<0.1	<0.1	<0.1	-	-	-	-	-
Cu	µg total	0.1	<0.1	<0.1	<0.1	-	-	-	-	-
Pb	µg total	0.1	<0.1	0.2	-	-	-	-	-	-
Mg	µg total	0.1	1.3	2.3	-	-	-	-	-	-
Mn	µg total	0.1	1.2	9.9	-	-	-	-	-	-
Hg	µg total	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Ni	µg total	0.1	<0.1	0.2	-	-	-	-	-	-
Se	µg total	0.1	<0.1	<0.1	<0.1	-	-	-	-	-
Tl	µg total	0.1	<0.1	<0.1	<0.1	-	-	-	-	-
Sn	µg total	0.1	<0.1	8.7	-	-	-	-	-	-
V	µg total	0.1	<0.1	<0.1	<0.1	-	-	-	-	-
Zn	µg total	0.1	3.4	4.0	200	100	250	-	-	-
Sample Volume*	mL	-	300	-	-	-	-	-	-	-



ANALYTICAL REPORT

ME306190 R0

Sample Number	ME306190.009	ME306190.010	ME306190.011	ME306190.012
Sample Matrix	Impinger	Impinger	KMn04	KMn04
Sample Date	28 Mar 2018	28 Mar 2018	28 Mar 2018	28 Mar 2018
Sample Name	Metals 8B	Metals 11	Metals 5B	Metals 10

Parameter	Units	LOR				
Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29_FILT Tested: 10/4/2018						
Sb	µg total	0.05	-	-	-	-
As	µg total	0.05	-	-	-	-
Be	µg total	0.05	-	-	-	-
Cd	µg total	0.05	-	-	-	-
Cr	µg total	0.05	-	-	-	-
Co	µg total	0.05	-	-	-	-
Cu	µg total	0.05	-	-	-	-
Pb	µg total	0.05	-	-	-	-
Mg	µg total	0.05	-	-	-	-
Mn	µg total	0.05	-	-	-	-
Hg	µg total	0.05	-	-	-	-
Ni	µg total	0.05	-	-	-	-
Se	µg total	0.05	-	-	-	-
Tl	µg total	0.05	-	-	-	-
Sn	µg total	0.05	-	-	-	-
V	µg total	0.25	-	-	-	-
Zn	µg total	0.05	-	-	-	-

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (ug total) Method: EPA29_METIMP Tested: 4/4/2018

Sb	µg total	0.1	-	-	-	-
As	µg total	0.1	-	-	-	-
Be	µg total	0.1	-	-	-	-
Cd	µg total	0.1	-	-	-	-
Cr	µg total	0.1	-	-	-	-
Co	µg total	0.1	-	-	-	-
Cu	µg total	0.1	-	-	-	-
Pb	µg total	0.1	-	-	-	-
Mg	µg total	0.1	-	-	-	-
Mn	µg total	0.1	-	-	-	-
Hg	µg total	0.1	<0.1	<0.1	<0.1	<0.1
Ni	µg total	0.1	-	-	-	-
Se	µg total	0.1	-	-	-	-
Tl	µg total	0.1	-	-	-	-
Sn	µg total	0.1	-	-	-	-
V	µg total	0.1	-	-	-	-
Zn	µg total	0.1	-	-	-	-
Sample Volume*	mL	-	110	250	400	94

MB blank results are compared to the Limit of Reporting

LCS and MS spike recoveries are measured as the percentage of analyte recovered from the sample compared to the amount of analyte spiked into the sample.

DUP and MSD relative percent differences are measured against their original counterpart samples according to the formula : *the absolute difference of the two results divided by the average of the two results as a percentage*. Where the DUP RPD is 'NA'. the results are less than the LOR and thus the RPD is not applicable.

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29_FILT

Parameter	QC Reference	Units	LOR	MB	LCS %Recovery
Sb	LB019540	µg total	0.05	<0.05	NA
As	LB019540	µg total	0.05	<0.05	NA
Be	LB019540	µg total	0.05	<0.05	NA
Cd	LB019540	µg total	0.05	<0.05	NA
Cr	LB019540	µg total	0.05	<0.05	NA
Co	LB019540	µg total	0.05	<0.05	NA
Cu	LB019540	µg total	0.05	<0.05	NA
Pb	LB019540	µg total	0.05	<0.05	NA
Mg	LB019540	µg total	0.05	<0.05	NA
Mn	LB019540	µg total	0.05	<0.05	NA
Hg	LB019540	µg total	0.05	<0.05	NA
Ni	LB019540	µg total	0.05	<0.05	NA
Se	LB019540	µg total	0.05	<0.05	NA
Tl	LB019540	µg total	0.05	<0.05	NA
Sn	LB019540	µg total	0.05	<0.05	NA
V	LB019540	µg total	0.25	<0.25	NA
Zn	LB019540	µg total	0.05	<0.05	NA

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (ug total) Method: EPA29_METIMP

Parameter	QC Reference	Units	LOR	MB	LCS %Recovery
Sb	LB019541	µg total	0.1	<0.1	103%
As	LB019541	µg total	0.1	<0.1	103%
Be	LB019541	µg total	0.1	<0.1	106%
Cd	LB019541	µg total	0.1	<0.1	102%
Cr	LB019541	µg total	0.1	<0.1	104%
Co	LB019541	µg total	0.1	<0.1	107%
Cu	LB019541	µg total	0.1	<0.1	104%
Pb	LB019541	µg total	0.1	<0.1	104%
Mg	LB019541	µg total	0.1	<0.1	110%
Mn	LB019541	µg total	0.1	<0.1	103%
Hg	LB019541	µg total	0.1	<0.1	100%
Ni	LB019541	µg total	0.1	<0.1	104%
Se	LB019541	µg total	0.1	<0.1	99%
Tl	LB019541	µg total	0.1	<0.1	102%
Sn	LB019541	µg total	0.1	<0.1	104%
V	LB019541	µg total	0.1	<0.1	105%
Zn	LB019541	µg total	0.1	<0.1	106%
Sample Volume*	LB019541	mL	-	0.0	NA

METHOD SUMMARY

METHOD

METHODOLOGY SUMMARY

EPA 29

Analysis of acid-leachable metals by Inductively Coupled Plasma-Mass Spectrometer (ICP-MS). This method is based on USEPA 3051A, USEPA M29, and USEPA 6020A.
Filters are digested using the appropriate sample preparation methods.
A representative sample is extracted in concentrated acid using microwave heating by the CEM -MarsXPress (with Built-in USEPA method) Microwave Digestion system. The sample and acid are placed in a microwave vessel (TFM), which is then capped and heated in the microwave unit. After cooling, the vessel contents are diluted with DI water, then filtered/settled/centrifuged and analysed by ICP MS.

EPA29

This method covers the analysis of acid-leachable metals by Inductively Coupled Plasma-Mass Spectrometer (ICP-MS). This method is based on USEPA M29, USEPA 3015A and USEPA 6020A.
Prior to analysis, samples are be solubilised or digested using the appropriate sample preparation methods.

FOOTNOTES

IS Insufficient sample for analysis.
LNR Sample listed, but not received.
* NATA accreditation does not cover the performance of this service.
** Indicative data, theoretical holding time exceeded.

LOR Limit of Reporting
↑↓ Raised or Lowered Limit of Reporting
QFH QC result is above the upper tolerance
QFL QC result is below the lower tolerance
- The sample was not analysed for this analyte
NVL Not Validated

Samples analysed as received.

Solid samples expressed on a dry weight basis.

Where "Total" analyte groups are reported (for example, Total PAHs, Total OC Pesticides) the total will be calculated as the sum of the individual analytes, with those analytes that are reported as <LOR being assumed to be zero. The summed (Total) limit of reporting is calculated by summing the individual analyte LORs and dividing by two. For example, where 16 individual analytes are being summed and each has an LOR of 0.1 mg/kg, the "Totals" LOR will be 1.6 / 2 (0.8 mg/kg). Where only 2 analytes are being summed, the "Total" LOR will be the sum of those two LORs.

Some totals may not appear to add up because the total is rounded after adding up the raw values.

If reported, measurement uncertainty follow the ± sign after the analytical result and is expressed as the expanded uncertainty calculated using a coverage factor of 2, providing a level of confidence of approximately 95%, unless stated otherwise in the comments section of this report.

Results reported for samples tested under test methods with codes starting with ARS-SOP, radionuclide or gross radioactivity concentrations are expressed in becquerel (Bq) per unit of mass or volume or per wipe as stated on the report. Becquerel is the SI unit for activity and equals one nuclear transformation per second.

Note that in terms of units of radioactivity:

- 1 Bq is equivalent to 27 pCi
- 37 MBq is equivalent to 1 mCi

For results reported for samples tested under test methods with codes starting with ARS-SOP, less than (<) values indicate the detection limit for each radionuclide or parameter for the measurement system used. The respective detection limits have been calculated in accordance with ISO 11929.

The QC criteria are subject to internal review according to the SGS QAQC plan and may be provided on request or alternatively can be found here : <http://www.sgs.com.au/~media/Local/Australia/Documents/Technical%20Documents/MP-AU-ENV-QU-022%20QA%20QC%20Plan.pdf>

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client only. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

This report must not be reproduced, except in full.

