

# 2nd Quarter Emissions Testing Report 2018

OneSteel Recycling Hexham



NATA ACCREDITATION No. 2778 (14391)

Accredited for compliance with ISO/IEC 17025 – Testing

The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards

This document may not be reproduced except in full.

## 2nd Quarter Emissions Testing Report 2018

OneSteel Recycling Hexham

Client: OneSteel Recycling Pty Ltd

ABN: 28 002 707 262

Prepared by

**AECOM Australia Pty Ltd**

17 Warabrook Boulevard, Warabrook NSW 2304, PO Box 73, Hunter Region MC NSW 2310, Australia  
T +61 2 4911 4900 F +61 2 4911 4999 [www.aecom.com](http://www.aecom.com)

ABN 20 093 846 925

16-Jul-2018

Job No.: 60493017

AECOM in Australia and New Zealand is certified to ISO9001, ISO14001 AS/NZS4801 and OHSAS18001.

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles. AECOM may also have relied upon information provided by the Client and other third parties to prepare this document, some of which may not have been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

## Quality Information


Document 2nd Quarter Emissions Testing Report 2018

Ref 60493017


Date 16-July-2018

Prepared by Colin Clarke

Reviewed by Paul Wenta

AECOM Approved Signatory Cye Buckland 

### Revision History

Rev	Revision Date	Details	Authorised	
			Name/Position	Signature
0	16-July-2018	Report for Issue	Chad Whitburn Associate Director - Compliance Services	

## Table of Contents

1.0	Introduction	1
2.0	Sampling Plane Requirements	2
3.0	Methodology	3
3.1	NATA Accredited Methods	3
3.2	Equipment Calibration	3
4.0	Sampling Location	4
4.1	Sampling Location Summary	4
5.0	Results	5
Appendix A		
	Field Sheets (17 pages)	A
Appendix B		
	Laboratory Results (8 pages)	B

## List of Tables

Table 1	Criteria for Selection of Sampling Planes (AS 4323.1)	2
Table 2	AECOM NATA Endorsed Methods	3
Table 3	Sampling Location Summary	4
Table 4	Shredder Baghouse Emission Results Summary, 29 June 2018	5
Table 5	Fine Particulate (PM <sub>10</sub> ), Total Particulate and Hazardous Substance (Metals) Results, 29 June 2018	6
Table 6	Hazardous Substances (Metals) Elemental Analysis Results, 29 June 2018	7

## 1.0 Introduction

AECOM was appointed by OneSteel Recycling Pty Ltd to conduct a series of measurements to determine air emissions from the Shredder Baghouse Stack (EPL Point 1) at the Hexham facility. Measurements were required for NSW EPA licence compliance (EPL No. 5345).

Testing was undertaken on 29 June 2018 to investigate emission concentrations for the following parameters:

- Fine Particulates ( $PM_{10}$ );
- Total Particulate (TP); and
- Hazardous Substances (Metals) including Lead and Mercury.

Laboratory analysis was undertaken by the following laboratories which hold NATA accreditation for the specified tests:

- Steel River Testing, laboratory NATA accreditation number 18079, performed the following analysis detailed in report number 16318-0-M & 16318-0-P:
  - Total Particulate (TP);
  - Fine Particulates ( $PM_{10}$ ); and
  - Moisture.
- SGS Australia Pty Ltd, NATA accreditation number 2562, performed the following analysis detailed in report number ME307210 R0:
  - Hazardous Substances (Metals).

## 2.0 Sampling Plane Requirements

The criteria for sampling planes are specified in AS 4323.1-1995 (R2014).

**Table 1 Criteria for Selection of Sampling Planes (AS 4323.1)**

Type of flow disturbance	Minimum distance upstream from disturbance, diameters (D)	Minimum distance downstream from disturbance, diameters (D)
Bend, connection, junction, direction change	>2D	>6D
Louvre, butterfly damper (partially closed or closed)	>3D	>6D
Axial fan	>3D	>8D (see Note)
Centrifugal fan	>3D	>6D

*NOTE: The plane should be selected as far as practicable from a fan. Flow straighteners may be required to ensure the position chosen meets the check criteria listed in Items (a) to (f) below.*

- a. *The gas flow is basically in the same direction at all points along each sampling traverse;*
- b. *The gas velocity at all sampling points is greater than 3 m/s;*
- c. *The gas flow profile at the sampling plane shall be steady, evenly distributed and not have a cyclonic component which exceeds an angle of 15° to the duct axis, when measured near the periphery of a circular sampling plane;*
- d. *The temperature difference between adjacent points of the survey along each sampling traverse is less than 10% of the absolute temperature, and the temperature at any point differs by less than 10% from the mean;*
- e. *The ratio of the highest to lowest pitot pressure difference shall not exceed 9:1 and the ratio of highest to lowest gas velocities shall not exceed 3:1. For isokinetic testing with the use of impingers, the gas velocity ratio across the sampling plane should not exceed 1.6:1; and*
- f. *The gas temperature at the sampling plane should preferably be above the dewpoint.*

The sampling plane for EPL Point 1 was compliant with the AS4323.1.

## 3.0 Methodology

### 3.1 NATA Accredited Methods

The following methods are accredited with the National Association of Testing Authorities (NATA) (accreditation number 2778 (14391)) and are approved for the sampling and analysis of gases. Specific details of the methods are available on request.

All sampling and analysis is conducted according to the methods in **Table 2**.

**Table 2 AECOM NATA Endorsed Methods**

NSW EPA Approved Methods	USEPA Methods	Method Title
AS4323.1 (NSW EPA TM-1)	USEPA (2000) Method 1	Selection of sampling positions
AS4323.2 (NSW EPA TM-15)	USEPA (2000) Method 5 under approved circumstances	Determination of total particulate matter – isokinetic manual sampling – gravimetric method
NSW EPA TM-2	USEPA (2000) Method 2	Determination of stack gas velocity and volumetric flow rate (type s pitot tube)
NSW EPA TM-22	USEPA (2000) Method 4	Determination of moisture content in stack gases
NSW EPA TM-23	USEPA (2000) Method 3	Gas analysis for the determination of dry molecular weight
NSW EPA OM-5	USEPA (1997) Method 201 or 201A (as appropriate)	Determination of PM <sub>10</sub> emissions
NSW EPA TM-12,13 and 14	USEPA Method 29	Determination of metal emissions from stationary sources

All parameters are reported adjusted to 0°C at 1 atmosphere and dry gas.

### 3.2 Equipment Calibration

AECOM has a calibration schedule to ensure the emission testing equipment is maintained in good order and with known calibration. Equipment used in this project was calibrated according to the procedures and frequency identified in the AECOM calibration schedule. Details of the schedule and the calibration calculations are available on request.

## 4.0 Sampling Location

### 4.1 Sampling Location Summary

**Table 3** provides a summary of the location sampled by AECOM on 29 June 2018.

**Table 3 Sampling Location Summary**

Discharge Description	Shredder Baghouse Stack (EPL Point 1)
Duct Shape	Circular
Construction Material	Metal
Duct Diameter (mm)	760
Minimum No. Sampling Points	12
Sampling Ports	2
Min. Points/Traverse	6
Disturbance	No
Distance from Upstream Disturbance	6.6D
Type of Disturbance	Bend
Distance from Downstream Disturbance	2.6D
Type of Disturbance	Stack Exit
Ideal Sampling Location	Yes
Correction Factors Applied	No
Total No. Points Sampled	12
Points/Traverse	6
Sampling Performed to Standard <sup>1</sup>	Yes

<sup>1</sup> AS 4323.1 Section 4.1

D = Diameters



## 5.0 Results

A summary of air emission test results is shown in **Table 4**. Detailed results along with gas stream properties during the testing period can be found in **Table 5**. Speciated Hazardous Substances (Metals) results are presented in **Table 6**. Emission concentrations are converted to standard conditions of 0°C, dry gas and 1 atm pressure for comparison with regulatory limits.

Field sheets and final calculations recorded during the project are attached as **Appendix A**. Laboratory reports can be referred to in **Appendix B**.

AECOM has a calculated limit of uncertainty in regards to results. The estimation of measurement uncertainty in source testing is conducted to provide an indication of the precision of the measurement result and a degree of confidence in the range of values the reported result may represent. The measurement of uncertainty has been calculated at  $\pm 13.6\%$ .

**Table 4 Shredder Baghouse Emission Results Summary, 29 June 2018**

Parameter	Emission Concentration (EPL Point 1)	Emission Concentration Limit
Total Particulate (TP) (mg/m <sup>3</sup> )	7.4	100
Fine Particulate (PM <sub>10</sub> ) (mg/m <sup>3</sup> )	0.74	N/A
Lead (mg/m <sup>3</sup> )	0.12	5
Mercury (mg/m <sup>3</sup> )	0.000047	1
Total Hazardous Substances (Metals) (mg/m <sup>3</sup> )	0.16	N/A

Results from testing conducted on EPL Point 1 on 29 June 2018 are below the regulatory limits listed in EPL 5345.

**Table 5 Fine Particulate (PM<sub>10</sub>), Total Particulate and Hazardous Substance (Metals) Results, 29 June 2018**

Sampling Conditions:		
Stack internal diameter at test location	760 mm	292.2 K
Stack gas temperature (average)	19.0 °C	
Stack pressure (average)	1022 hPa	
Stack gas velocity (average, stack conditions)	5.7 m/s	
Stack gas flowrate (stack conditions)	2.6 m³/s	
Stack gas flowrate (0°C, dry gas, 1 atm pressure)	2.4 m³/s	
Fine Particulate (PM <sub>10</sub> ) Testing		
Test Period	12:00 -	14:01
Fine Particulate (PM <sub>10</sub> ) Mass	0.7 mg	
Gas Volume Sampled	0.951 m³	
Fine Particulate (PM <sub>10</sub> ) Emission* <sup>1</sup>	0.74 mg/m³	
Fine Particulate (PM <sub>10</sub> ) Mass Emission Rate* <sup>2</sup>	1.8 mg/s	
Regulatory Limit	N/A	
Total Particulate Testing		
Test Period	12:00 -	14:01
Total Particulate Mass	5.8 mg	
Gas Volume Sampled	0.782 m³	
Total Particulate Emission* <sup>1</sup>	7.4 mg/m³	
Total Particulate Mass Emission Rate* <sup>2</sup>	18 mg/s	
Regulatory Limit	100 mg/m³	
Hazardous Substances (Metals) Testing		
Test Period	12:00 -	14:01
Hazardous Substances (Metals) Mass	0.19 mg	
Gas Volume Sampled	1.23 m³	
Hazardous Substances (Metals) Emission* <sup>1</sup>	0.16 mg/m³	
Hazardous Substances (Metals) Mass Emission Rate* <sup>2</sup>	0.39 mg/s	
Regulatory Limit	N/A	
Moisture Content (%)	1.3	
Gas Density (dry at 1 atmosphere)	1.29 kg/m³	
Dry Molecular Weight	28.8 g/g-mole	

Notes \*1 Emission concentration at Standard conditions of 0°C, 1 atm, dry gas

\*2 Mass emission rate determined from pre and post-test sampling flow measurements and the respective test moisture content. See Q<sub>std</sub> in field sheets and final calculations "Stack Analysis - Final Calculations" for each test.

**Table 6 Hazardous Substances (Metals) Elemental Analysis Results, 29 June 2018**

Sample	Total Particulate Metals (mg)	Total Particulate Metals (mg/m <sup>3</sup> )	Total Gaseous Metals (mg)	Total Gaseous Metals (mg/m <sup>3</sup> )	Total Oxidisable Mercury (mg)	Total Oxidisable Mercury (mg/m <sup>3</sup> )	Total (mg)	Total (mg/m <sup>3</sup> )	Mass Emission Rate (mg/s)
Antimony	0.00002	0.000016	<0.0011	<0.00089			0.00002	0.000016	0.000039
Arsenic	0.00022	0.00018	0.000048	0.000039			0.0003	0.00024	0.00058
Beryllium	<0.0001	<0.000081	<0.0001	<0.000081			<0.0001	<0.000081	<0.0002
Cadmium	0.00084	0.00068	0.00019	0.00015			0.001	0.00081	0.002
Chromium	0.0026	0.0021	0.00035	0.00028			0.003	0.0024	0.0058
Cobalt	0.00035	0.00028	<0.0001	<0.000081			0.0004	0.00032	0.00078
Copper	0.015	0.012	0.00025	0.0002			0.02	0.016	0.039
Lead	0.15	0.12	0.0012	0.00097			0.2	0.16	0.39
Magnesium	0.062	0.05	0.0066	0.0053			0.07	0.057	0.14
Manganese	0.012	0.0097	0.016	0.013			0.03	0.024	0.058
Mercury	0.00001	0.0000081	0.000048	0.000039	<0.0001	<0.000081	0.00006	0.000049	0.00012
Nickel	0.0036	0.0029	0.00035	0.00028			0.004	0.0032	0.0078
Selenium	0.00018	0.00015	0.00049	0.0004			0.0007	0.00057	0.0014
Thallium	0.00005	0.00004	<0.0001	<0.000081			0.00005	0.00004	0.000097
Tin	0.0011	0.00089	0.0031	0.0025			0.004	0.0032	0.0078
Vanadium	0.00035	0.00028	<0.0001	<0.000081			0.0004	0.00032	0.00078
Zinc	0.3	0.24	0.0092	0.0074			0.3	0.24	0.58
<b>Total Hazardous Metals*</b>	<b>0.17</b>	<b>0.14</b>	<b>0.019</b>	<b>0.015</b>	<b>&lt;0.0001</b>	<b>&lt;0.000081</b>	<b>0.24</b>	<b>0.20</b>	<b>0.48</b>
<b>Total Metals</b>	<b>0.55</b>	<b>0.44</b>	<b>0.038</b>	<b>0.031</b>			<b>0.63</b>	<b>0.51</b>	<b>1.2</b>

\* Total does not include Copper, Magnesium and Zinc as they are classed non-hazardous

This page has been left blank intentionally.

# Appendix A

Field Sheets (17 pages)

## Appendix A    Field Sheets (17 pages)

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## OneSteel Hexham

AECOM's Project Number: 60493017

Emission Source: Shredder Stack

Date Sampled: 29-Jun-18

ANALYTE(S)	METHOD
Fine Particulate (PM10)	NSW EPA OM - 5
Total Particulate	NSW EPA TM - 15
Hazardous Substances (Metals)	NSW EPA TM - 12, 13 & 14

Observations made during testing period:  
Test paused at 13:00 as plant shut down for lunch

Sampling Performed By:

  
James Lang  
Dylan Turnbull

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - PRE-SAMPLING

Date: 29-Jun-18  
Client: OneSteel Hexham  
AECOM's Project No: 60493017  
Stack/Duct Description: Shredder Stack  
Test 1: Fine Particulate (PM10)  
Test 2: Total Particulate  
Test 3: Hazardous Substances (Metals)

[illegible]



## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - GAS COMPOSITION AND DENSITY PRE-SAMPLING

Date: 29-Jun-18  
 Client: OneSteel Hexham  
 AECOM's Project No: 60493017  
 Stack/Duct Description: Shredder Stack  
 Test 1: Fine Particulate (PM10)  
 Test 2: Total Particulate  
 Test 3: Hazardous Substances (Metals)

Sampling time start: 11:53		Sampling port No.: 1		
Measurement No.	Time sampled	CO (ppm), (dry)	O <sub>2</sub> (%), (dry)	CO <sub>2</sub> (%), (dry)
1	11:53	0	20.9	0.0
2	11:54	0	20.9	0.0
3	11:55	0	20.9	0.0
4	11:56	0	20.9	0.0
5	11:57	0	20.9	0.0
6	11:58	0	20.9	0.0
7	11:59	0	20.9	0.0
8	12:00	0	20.9	0.0
Averages:		0.0 ppm	20.9 %	0.0 %

Moisture content (M3): 0.98  
 Moisture percentage (M2): 2.00 %

## Measurements

CO: 0.0000 %,(dry)	N <sub>2</sub> : 79.1 %,(dry)
CO <sub>2</sub> : 0.0 %,(dry)	O <sub>2</sub> : 20.9 %,(dry)
Gas Compositions converted to wet basis:	
CO: 0.0000 %,(wet)	N <sub>2</sub> : 77.5 %,(wet)
CO <sub>2</sub> : 0.0 %,(wet)	O <sub>2</sub> : 20.5 %,(wet)
H <sub>2</sub> O: 2.00 % (=M2)	
Therefore, stack gas density (GD) = 1.28 kg/m <sup>3</sup> (0°C, wet, 1 atm pressure)	
Therefore, stack gas density (GD) = 1.29 kg/m <sup>3</sup> (0°C, dry, 1 atm pressure)	

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - GAS COMPOSITION AND DENSITY POST-SAMPLING

Date: 29-Jun-18  
 Client: OneSteel Hexham  
 AECOM's Project No: 60493017  
 Stack/Duct Description: Shredder Stack  
 Test 1: Fine Particulate (PM10)  
 Test 2: Total Particulate  
 Test 3: Hazardous Substances (Metals)

Sampling time start: 13:54		Sampling port No.: 1		
Measurement No.	Time sampled	CO (ppm), (dry)	O <sub>2</sub> (%), (dry)	CO <sub>2</sub> (%), (dry)
1	13:54	0	20.9	0.0
2	13:55	0	20.9	0.0
3	13:56	0	20.9	0.0
4	13:57	0	20.9	0.0
5	13:58	0	20.9	0.0
6	13:59	0	20.9	0.0
7	14:00	0	20.9	0.0
8	14:01	0	20.9	0.0
Averages:		0.0 ppm	20.9 %	0.0 %

Moisture content (M3): 0.99

Moisture percentage (M2): 1.16 %

## Measurements

CO: 0.0000 %,(dry)	N <sub>2</sub> : 79.1 %,(dry)
CO <sub>2</sub> : 0.0 %,(dry)	O <sub>2</sub> : 20.9 %,(dry)
Gas Compositions converted to wet basis:	
CO: 0.0000 %,(wet)	N <sub>2</sub> : 78.2 %,(wet)
CO <sub>2</sub> : 0.0 %,(wet)	O <sub>2</sub> : 20.7 %,(wet)
H <sub>2</sub> O: 1.16 % (=M2)	
Therefore, stack gas density (GD) = 1.28 kg/m <sup>3</sup> (0°C, wet, 1 atm pressure)	
Therefore, stack gas density (GD) = 1.29 kg/m <sup>3</sup> (0°C, dry, 1 atm pressure)	

## Q4AN(EV)-332-FM31

Date: 29-Jun-18  
Client: OneSteel Hexham  
AECOM's Project No: 60493017  
Stack/Duct Description: Shredder Stack  
Test 1: Fine Particulate (PM10)  
Test 2: Total Particulate  
Test 3: Hazardous Substances (Metals)

Static Pressure (Dwyer) (Pa): kPa  
 Static Pressure (U-tube, if required) : 3 mm  
 Absolute pressure in stack (hPa) : 1022.29 hPa

## Q4AN(EV)-332-FM31

### SAMPLING OF FINE PARTICULATE (PM10)

### Leak Check (Pre-Sampling)

Leak Check (Pre-Sampling)		Leak Check (Post-Sampling)	
Meter start:	468.8312	Meter finish:	468.8312
Meter start:	469.8575	Meter finish:	469.8575

meter start:	10010012	meter finish:	10010012	meter start:	10010013	meter finish:	10010013
Time start:	11:47	Time finish:	11:48	Time start:	14:01	Time finish:	14:02

Therefore, leakage rate = no leak L/min      Therefore, leakage rate = no leak L/min

(>0.1 l/min. is unacceptable)

Repeat:

Repeat:

Comments:

Comments:

### Sampling Record Table

Barometric Pressure: 1022 hPa (start); 1022 hPa (finish)

Meter start: 468.8422 Time start: 12:00

Meter correction factor (GMf) : 1.0000

Sampling Position No.	Stopwatch Time at Sampling Position	Distance from far wall (mm)	Isokinetic Flowrate (L/min)	Meter Inlet Temp. (°C)	Meter Outlet Temp. (°C)	Impinger Train Outlet Temp (°C)	Flowrate Attained (Y/N)
1/1	0:06:15	33	12.9	20.0	15.0		Yes
1/2	0:06:15	111	12.9	22.0	15.0		Yes
1/3	0:06:45	225	12.9	23.0	15.0		Yes
1/4	0:06:45	535	12.9	24.0	16.0		Yes
1/5	0:06:15	649	12.9	25.0	16.0		Yes
1/6	0:06:15	727	12.9	26.0	17.0		Yes
2/1	0:06:30	33	12.9	27.0	17.0		Yes
2/2	0:06:30	111	12.9	28.0	17.0		Yes
2/3	0:06:30	225	12.9	29.0	18.0		Yes
2/4	0:06:45	535	12.9	20.0	18.0		Yes
2/5	0:06:15	649	12.9	25.0	18.0		Yes
2/6	0:07:00	727	12.9	26.0	18.0		Yes
Averages				24.6	16.7	no result	

Average:			2:15	1:51	No Result
Meter Finish:	469.8560	Time Finish:	14:01		

Water Finish:	455.5555	Time Finish:	14.51
Total Condensate collected:	0 ml	Silica gel No(s) used:	192



## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS

### SAMPLING OF TOTAL PARTICULATE

Date: 29-Jun-18

Client: OneSteel Hexham

AECOM's Project No: 60493017

Stack Description No.: Shredder Stack

Sample Nozzle No.: S3

Sample Nozzle No.: 55  
Sampling Port No.: 1 to 2

Page No: 1 of 1

Sample Nozzle Area (A<sub>n</sub>): 3.02 x 10<sup>-5</sup> m<sup>2</sup>

Thimble No: T574

Blank thimble No:

### Leak Check (Pre-Sampling)

Meter start: 534.9720 Meter finish:

Time start: 11:49 Time finish:

### Leak Check (Post Sampling)

Meter start: 535.7880 Meter finish: 535.7880

Time start: 14:03 Time finish: 14:04

Therefore, leakage rate = no leak L/min

Therefore, leakage rate = no leak L/min

( $>0.1$  l/min. is unacceptable)

( $>0.1$  l/min. is unacceptable)

Repeat:

Repeat:

Comments:

Comments:

### Sampling Record Table

Barometric Pressure: 1022 hPa (start):

Meter start: 534.9738

Meter correction factor (GMf) : 1.0100

1022 hPa (finish)

12:00

Time start:

Sampling Position No.	Stopwatch Time at Sampling Position	Distance from far wall (mm)	Isokinetic Flowrate (L/min)	Meter Inlet Temp. (°C)	Meter Outlet Temp. (°C)	Impinger Train Outlet Temp (°C)	Flowrate Attained (Y/N)
1/1	0:06:30	33	10.0	14.0	14.0		Yes
1/2	0:13:00	111	9.8	15.0	14.0		Yes
1/3	0:19:30	225	10.7	15.0	14.0		Yes
1/4	0:26:00	535	10.9	15.0	14.0		Yes
1/5	0:32:30	649	10.0	16.0	15.0		Yes
1/6	0:39:00	727	10.2	16.0	15.0		Yes
2/1	0:45:30	33	10.5	17.0	15.0		Yes
2/2	0:52:00	111	10.3	17.0	16.0		Yes
2/3	0:58:30	225	10.3	18.0	16.0		Yes
2/4	1:05:00	535	10.7	18.0	18.0		Yes
2/5	1:11:30	649	10.2	19.0	18.0		Yes
2/6	1:18:00	727	10.9	19.0	18.0		Yes
Averages				16.6	15.6	no result	

Meter Finish: 535.7864

Total Condensate collected: 2 ml

Time Finish: 14:01

Silica gel No(s) used: P32

## STACK ANALYSIS

## SAMPLING OF HAZARDOUS SUBSTANCES (METALS)

Date: 29-Jun-18

Date: 20-Jan-18  
Client: OneSteel Hexham

AECOM's Project No: 60493017

Stack Description No.: Shredder Stack

Sample Nozzle No.:	G64	Sample Nozzle Area (A <sub>n</sub> ):	4.78	x 10 <sup>-5</sup> m <sup>2</sup>
--------------------	-----	---------------------------------------	------	-----------------------------------

Sampling Port No.:	1 to 2	Thimble No:	NA
--------------------	--------	-------------	----

Page No: 1 of 1 Blank thimble No:

### Leak Check (Pre-Sampling)

Meter start: 620.9044 Meter finish: 620.9044 Meter start: 622.2084 Meter finish: 622.2084

Time start: 11:51 Time finish: 11:52 Time start: 14:05 Time finish: 14:06

Therefore, leakage rate = no leak L/min      Therefore, leakage rate = no leak L/min

( $>0.1$  l/min. is unacceptable)

( $>0.1$  l/min. is unacceptable)

Repeat:

Repeat:

Comments:

Comments:

### Sampling Record Table

Barometric Pressure: 1022 hPa (start); 1022 hPa (finish)

Meter start: 620.9062 Time start: 12:00

Meter correction factor (GMf) : 1.0100

Sampling Position No.	Stopwatch Time at Sampling Position	Distance from far wall (mm)	Isokinetic Flowrate (L/min)	Meter Inlet Temp. (°C)	Meter Outlet Temp. (°C)	Impinger Train Outlet Temp (°C)	Flowrate Attained (Y/N)
1/1	0:06:30	33	15.8	18.0	15.0		Yes
1/2	0:13:00	111	15.5	20.0	16.0		Yes
1/3	0:19:30	225	17.0	21.0	16.0		Yes
1/4	0:26:00	535	17.2	21.0	17.0		Yes
1/5	0:32:30	649	15.8	22.0	17.0		Yes
1/6	0:39:00	727	16.1	22.0	17.0		Yes
2/1	0:45:30	33	16.7	23.0	18.0		Yes
2/2	0:52:00	111	16.4	24.0	18.0		Yes
2/3	0:58:30	225	16.4	25.0	18.0		Yes
2/4	1:05:00	535	17.0	21.0	20.0		Yes
2/5	1:11:30	649	16.1	23.0	20.0		Yes
2/6	1:18:00	727	17.2	24.0	20.0		Yes
Averages				22.0	17.7	no result	

Meter Finish:	622.2063	Time Finish:	14:01
---------------	----------	--------------	-------

Total Condensate collected:	4 ml	Silica gel No(s) used:	VK1
-----------------------------	------	------------------------	-----

**Q4AN(EV)-332-FM31**

Date: 29-Jun-18  
Client: OneSteel Hexham  
AECOM's Project No: 60493017  
Stack/Duct Description: Shredder Stack  
Test 1: Fine Particulate (PM10)  
Test 2: Total Particulate  
Test 3: Hazardous Substances (Metals)

Static Pressure (Dwyer) (Pa): kPa  
 Static Pressure (U-tube, if required) : 3.2 mm  
 Absolute pressure in stack (hPa) : 1022.31 hPa

ANZ

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## Stack Analysis - Hazardous Substances Elemental Analysis Results

Date: 29-Jun-18 Client: OneSteel Hexham  
 AECOM's Project No: 60493017 Stack/Duct Description: Shredder Stack

Metal	Particulate Metals Results	Gaseous Metals Results	Oxidisable Mercury Results		
	Front Half, Filter, Acetone Rinses and Acid Rinses (mg), Containers 1, 2 and 3	Back Half, Impingers + Acid Rinses (mg) Container 4	KO Impinger + Acid Rinses (mg) (5A)	KMnO <sub>4</sub> /H <sub>2</sub> SO <sub>4</sub> + Rinses (mg) (5B)	Residue Rinse 8N HCl (mg) (If Required) (5C)
Antimony	0.00002	<0.0011			
Arsenic	0.00022	0.000048			
Beryllium	<0.0001	<0.0001			
Cadmium	0.00084	0.00019			
Chromium	0.0026	0.00035			
Cobalt	0.00035	<0.0001			
Copper	0.015	0.00025			
Lead	0.15	0.0012			
Magnesium	0.062	0.0066			
Manganese	0.012	0.016			
Mercury	0.00001	0.000048	<0.0001	<0.0001	<0.0001
Nickel	0.0036	0.00035			
Selenium	0.00018	0.00049			
Thallium	0.00005	<0.0001			
Tin	0.0011	0.0031			
Vanadium	0.00035	<0.0001			
Zinc	0.3	0.0092			

Note: Where the blank has returned a less than value, half of this value was subtracted from the sample result as a blank correction ie for a blank value of <0.0005, 0.00025 was subtracted from the sample result.

\* Total does not include Copper, Magnesium and Zinc as they are classed non-hazardous

## Stack Analysis - Hazardous Substances Elemental Analysis Results Continued

Date: 29-Jun-18 Client: OneSteel Hexham  
 AECOM's Project No: 60493017 Stack/Duct Description: Shredder Stack

Sample	Total Particulate Metals (mg)	Total Particulate Metals (mg/m <sup>3</sup> )	Total Gaseous Metals (mg)	Total Gaseous Metals (mg/m <sup>3</sup> )	Total Oxidisable Mercury (mg)	Total Oxidisable Mercury (mg/m <sup>3</sup> )	Total (mg)	Total (mg/m <sup>3</sup> )	Mass Emission Rate (mg/s)
Antimony	0.00002	0.000016	<0.0011	<0.00089			0.00002	0.000016	0.000039
Arsenic	0.00022	0.00018	0.000048	0.000039			0.0003	0.00024	0.00058
Beryllium	<0.0001	<0.000081	<0.0001	<0.000081			<0.0001	<0.000081	<0.0002
Cadmium	0.00084	0.00068	0.00019	0.00015			0.001	0.00081	0.002
Chromium	0.0026	0.0021	0.00035	0.00028			0.003	0.0024	0.0058
Cobalt	0.00035	0.00028	<0.0001	<0.000081			0.0004	0.00032	0.00078
Copper	0.015	0.012	0.00025	0.0002			0.02	0.016	0.039
Lead	0.15	0.12	0.0012	0.00097			0.2	0.16	0.39
Magnesium	0.062	0.05	0.0066	0.0053			0.07	0.057	0.14
Manganese	0.012	0.0097	0.016	0.013			0.03	0.024	0.058
Mercury	0.00001	0.0000081	0.000048	0.000039	<0.0001	<0.000081	0.00006	0.000049	0.00012
Nickel	0.0036	0.0029	0.00035	0.00028			0.004	0.0032	0.0078
Selenium	0.00018	0.00015	0.00049	0.0004			0.0007	0.00057	0.0014
Thallium	0.00005	0.00004	<0.0001	<0.000081			0.00005	0.00004	0.000097
Tin	0.0011	0.00089	0.0031	0.0025			0.004	0.0032	0.0078
Vanadium	0.00035	0.00028	<0.0001	<0.000081			0.0004	0.00032	0.00078
Zinc	0.3	0.24	0.0092	0.0074			0.3	0.24	0.58
Total Hazardous Metals*	0.17	0.14	0.019	0.015	<0.0001	<0.000081	0.24	0.20	0.48
Total Metals	0.55	0.44	0.038	0.031			0.63	0.51	1.2

\* Total does not include Copper, Magnesium and Zinc as they are classed non-hazardous



**STACK ANALYSIS - FINAL CALCULATIONS****Fine Particulate (PM10)**

(Calculations performed in accordance with relevant test method as defined on cover page)

Date: 29-Jun-18

Client: OneSteel Hexham

AECOM's Project No:

60493017 Stack/Duct Description: Shredder Stack

**(A) Sample gas volume at standard conditions**

Metered volume (MV <sub>3</sub> ):	1.0138 m <sup>3</sup>	Average barometric pressure (P <sub>BARO</sub> ):	1022 hPa
Average gas meter temp. (T <sub>M,2</sub> ):	20.6 °C		
	293.8 K	Average pressure at meter (P <sub>M,2</sub> ):	1022.00 hPa

Sample gas volume (MV<sub>4</sub>); (0°C, dry gas, 1 atm pressure): 0.9509 m<sup>3</sup>

**(B) PM10 concentration at standard conditions**

Blank thimble No.:	0	Blank weight:	g
Thimble No. used:	T573	PM10 Weight	0.0007 g
Final PM10 Weight (Mp1):	0.00070 g		
PM10 Concentration (C1):	=M <sub>p1</sub> /MV <sub>4</sub> =	0.00074 g/m <sup>3</sup> (0°C, dry gas, 1atm pressure)	

;and C<sub>2</sub> =0.74 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure)CO<sub>2</sub> Basis 12 %Average CO<sub>2</sub> %: 0.0 %

Therefore, C<sub>c</sub>: = C<sub>a</sub> x 12/CO<sub>2</sub>% = 0.00074 g/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 12% CO<sub>2</sub>)

;and C<sub>c1</sub> =0.74 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 12% CO<sub>2</sub>)O<sub>2</sub> Basis 7 %Average O<sub>2</sub> %: 20.9 %

Therefore, C<sub>b</sub>: =C<sub>a</sub> x (21 - O<sub>2ref</sub>%)/(21 - O<sub>2mea</sub>%) 0.1 g/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 7% O<sub>2</sub>)

;and C<sub>b1</sub> =100 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 7% O<sub>2</sub>)**(C) Moisture content**

Silica Gel Number: 192

V<sub>v</sub> = 6.3 g (from laboratory report)V<sub>w</sub> =0 mL (=grams)  
(recorded on  
Laboratory Form  
108)Volume of Water Vapour Condensed (V<sub>wc(std)</sub>) = 0.0000Volume of Water Vapour Condensed (V<sub>wsg(std)</sub>) = 0.0084

Therefore, B<sub>ws</sub> = 
$$\frac{(V_{wc(std)} + V_{wsg(std)})}{(V_{wc(std)} + V_{wsg(std)} + V_{m(std)})}$$

B<sub>ws</sub> = 0.88 %

ANZ

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - FINAL CALCULATIONS CONTINUED

## Fine Particulate (PM10)

## (D) Gas Composition and Density (Re-calculation)

- (i) Initial gas density for sampling: 1.28 kg/m<sup>3</sup> (from Laboratory Form 107)
- (ii) Re-calculated gas density based on moisture content in (c):  
 1.27 kg/m<sup>3</sup> (0°C, wet, 1 atm pressure)  
 1.29 kg/m<sup>3</sup> (0°C, dry, 1 atm pressure)
- (iii) Gas density at stack conditions = 
$$(ii) \times \frac{(273.2)}{(273.2+T_s)} \times \frac{(P_s)}{(1013.25)}$$
- = 1.198 kg/m<sup>3</sup> (stack conditions, wet)

## (E) Gas Velocities

- (i) Average of pre-sampling velocities: 5.72 m/s
- (ii) Average of post-sampling velocities: 5.73 m/s
- (iii) Average of while-sampling velocities: N/A m/s
- (iv) Overall average of pre-sampling and post-sampling velocities (Vs):  
 5.72 m/s (stack conditions, wet)  
 N/A m/s (stack conditions, wet)
- (Note: (Vs) is from all individual data, **not** from (i) and (ii) alone.)

## (F) Volumetric Flowrates (Reference Method US-EPA Method 2, NSW-EPA TM-2)

$$Q_{stack} = V_s \times A = 2.59 \text{ m}^3/\text{s} \text{ (stack conditions)}$$

$$Q_{std} = Q_{stack} \times \frac{P_s}{(P_{std})} \times \frac{(T_{std})}{(T_s)} \times \frac{(100 - B_w)}{100}$$

$$Q_{std} = 2.4 \text{ m}^3/\text{s} \text{ (0°C, dry gas, 1 atm pressure)}$$

## (G) Mass Emission Rate

$$R_m = C_{1a} \times Q_{std} = 0.0018 \text{ g/s (0°C, dry gas, 1 atm pressure)}$$

$$= 1.8 \text{ mg/s (0°C, dry gas, 1 atm pressure)}$$

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - FINAL CALCULATIONS

## Total Particulate

(Calculations performed in accordance with relevant test method as defined on cover page)

Date: 29-Jun-18

Client: OneSteel Hexham

AECOM's Project No:

60493017 Stack/Duct Description: Shredder Stack

## (A) Sample gas volume at standard conditions

Metered volume ( $MV_3$ ):	0.8207 m <sup>3</sup>	Average barometric pressure ( $P_{BARO}$ ):	1022 hPa
Average gas meter temp. ( $T_{M,2}$ ):	16.1 °C	Average pressure at meter ( $P_{M,2}$ ):	1022.00 hPa
	289.3 K		
Sample gas volume ( $MV_4$ ); (0°C, dry gas, 1 atm pressure):	0.7817 m <sup>3</sup>		

## (B) Total Particulate concentration at standard conditions

Blank thimble No.:		Blank weight:	g
Thimble No. used:	T574	Total Particulate Weight:	0.0058 g
Final Total Particulate Weight ( $M_{p1}$ ):	0.00580 g		
Total Particulate Concentration ( $C_1$ ):	$=M_{p1}/MV_4=$		0.0074 g/m <sup>3</sup> (0°C, dry gas, 1atm pressure)
			7.4 mg/m <sup>3</sup> (0°C, dry gas, 1atm pressure)

CO<sub>2</sub> Basis 12 % ;and  $C_2 =$

Average CO<sub>2</sub> %: 0.0 %

Therefore,  $C_c:$   $= C_a \times 12/CO_2\% =$  0.0074 g/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 12% CO<sub>2</sub>)

;and  $C_{c1} =$  7.4 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 12% CO<sub>2</sub>)

O<sub>2</sub> Basis 7 %

Average O<sub>2</sub> %: 20.9 %

Therefore,  $C_b:$   $=C_a \times (21 - O_{2ref}\%)/(21 - O_{2mea}\%)$  1 g/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 7% O<sub>2</sub>)

;and  $C_{b1} =$  1000 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 7% O<sub>2</sub>)

## (C) Moisture content

Silica Gel Number: P32

$V_v =$	8.8 g (from laboratory report)	$V_w =$	2 mL (=grams) (recorded on Laboratory Form 108)
Volume of Water Vapour Condensed ( $V_{wc(std)}$ ):	0.0027		
Volume of Water Vapour Condensed ( $V_{wsg(std)}$ ):	0.0117		

Therefore,  $B_{ws} =$   $\frac{(V_{wc(std)} + V_{wsg(std)})}{(V_{wc(std)} + V_{wsg(std)} + V_{m(std)})}$

$B_{ws} =$  1.81 %

ANZ

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - FINAL CALCULATIONS CONTINUED

## Total Particulate

## (D) Gas Composition and Density (Re-calculation)

- (i) Initial gas density for sampling: 1.28 kg/m<sup>3</sup> (from Laboratory Form 107)
- (ii) Re-calculated gas density based on moisture content in (c):  
 1.28 kg/m<sup>3</sup> (0°C, wet, 1 atm pressure)  
 1.29 kg/m<sup>3</sup> (0°C, dry, 1 atm pressure)
- (iii) Gas density at stack conditions = (ii) x  $\frac{(273.2)}{(273.2+T_s)}$  x  $\frac{(P_s)}{(1013.25)}$
- = 1.207 kg/m<sup>3</sup> (stack conditions, wet)

## (E) Gas Velocities

- (i) Average of pre-sampling velocities: 5.72 m/s
- (ii) Average of post-sampling velocities: 5.73 m/s
- (iii) Average of while-sampling velocities: N/A m/s
- (iv) Overall average of pre-sampling and post-sampling velocities (Vs):  
 5.72 m/s (stack conditions, wet)  
 N/A m/s (stack conditions, wet)
- (Note: (Vs) is from all individual data, **not** from (i) and (ii) alone.)

## (F) Volumetric Flowrates (Reference Method US-EPA Method 2, NSW-EPA TM-2)

$$Q_{\text{stack}} = V_s \times A = 2.59 \text{ m}^3/\text{s} \text{ (stack conditions)}$$

$$Q_{\text{std}} = Q_{\text{stack}} \times \frac{P_s}{(P_{\text{std}})} \times \frac{(T_{\text{std}})}{(T_s)} \times \frac{(100 - B_w)}{100}$$

$$Q_{\text{std}} = 2.4 \text{ m}^3/\text{s} \text{ (0°C, dry gas, 1 atm pressure)}$$

## (G) Mass Emission Rate

$$R_m = C_{1a} \times Q_{\text{std}} = 0.018 \text{ g/s (0°C, dry gas, 1 atm pressure)}$$

$$= 18 \text{ mg/s (0°C, dry gas, 1 atm pressure)}$$

## Emission Measurement Calculations Spreadsheet

## STACK ANALYSIS - FINAL CALCULATIONS

## Hazardous Substances (Metals)

(Calculations performed in accordance with relevant test method as defined on cover page)

Date: 29-Jun-18

Client: OneSteel Hexham

AECOM's Project No:

60493017 Stack/Duct Description: Shredder Stack

## (A) Sample gas volume at standard conditions

Metered volume (MV <sub>3</sub> ):	1.3131 m <sup>3</sup>	Average barometric pressure (P <sub>BARO</sub> ):	1022 hPa
Average gas meter temp. (T <sub>M,2</sub> ):	19.8 °C	Average pressure at meter (P <sub>M,2</sub> ):	1022.00 hPa
	293.0 K		
Sample gas volume (MV <sub>4</sub> ); (0°C, dry gas, 1 atm pressure):	1.2349 m <sup>3</sup>		

## (B) Metals concentration at standard conditions

Blank thimble No.:		Blank weight:	g
Thimble No. used:	NA	Metals Weight:	0.00024 g
Final Metals Weight (Mp1):	0.00024 g		
Metals Concentration (C1):	=M <sub>p1</sub> /MV <sub>4</sub> =		0.0002 g/m <sup>3</sup> (0°C, dry gas, 1atm pressure)
			0.2 mg/m <sup>3</sup> (0°C, dry gas, 1atm pressure)

CO<sub>2</sub> Basis 12 %  
 Average CO<sub>2</sub> %: 0.0 %

Therefore, C<sub>c</sub>: = C<sub>a</sub> x 12/CO<sub>2</sub>% = 0.0002 g/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 12% CO<sub>2</sub>)  
 ;and C<sub>c1</sub> = 0.2 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 12% CO<sub>2</sub>)

O<sub>2</sub> Basis 7 %  
 Average O<sub>2</sub> %: 20.9 %

Therefore, C<sub>b</sub>: = C<sub>a</sub> x (21 - O<sub>2ref</sub> %)/(21 - O<sub>2mea</sub> %) = 0.028 g/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 7% O<sub>2</sub>)  
 ;and C<sub>b1</sub> = 28 mg/m<sup>3</sup> (0°C, dry gas, 1atm pressure, 7% O<sub>2</sub>)

## (C) Moisture content

Silica Gel Number: VK1

V <sub>v</sub> =	3.4 g (from laboratory report)	V <sub>w</sub> =	4 mL (=grams) (recorded on Laboratory Form 108)
Volume of Water Vapour Condensed (V <sub>wc(std)</sub> ) =	0.0053		
Volume of Water Vapour Condensed (V <sub>wsg(std)</sub> ) =	0.0045		

Therefore, B<sub>ws</sub> =  $\frac{(V_{wc(std)} + V_{wsg(std)})}{(V_{wc(std)} + V_{wsg(std)} + V_{m(std)})}$

B<sub>ws</sub> = 0.79 %

ANZ

## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

## STACK ANALYSIS - FINAL CALCULATIONS CONTINUED

## Hazardous Substances (Metals)

## (D) Gas Composition and Density (Re-calculation)

- (i) Initial gas density for sampling: 1.28 kg/m<sup>3</sup> (from Laboratory Form 107)
- (ii) Re-calculated gas density based on moisture content in (c):  
 1.27 kg/m<sup>3</sup> (0°C, wet, 1 atm pressure)  
 1.29 kg/m<sup>3</sup> (0°C, dry, 1 atm pressure)
- (iii) Gas density at stack conditions = (ii) x  $\frac{(273.2)}{(273.2+T_s)}$  x  $\frac{(P_s)}{(1013.25)}$   
 = 1.198 kg/m<sup>3</sup> (stack conditions, wet)

## (E) Gas Velocities

- (i) Average of pre-sampling velocities: 5.72 m/s
- (ii) Average of post-sampling velocities: 5.73 m/s
- (iii) Average of while-sampling velocities: N/A m/s
- (iv) Overall average of pre-sampling and post-sampling velocities (Vs):  
 5.72 m/s (stack conditions, wet)  
 N/A m/s (stack conditions, wet)  
 (Note: (Vs) is from all individual data, **not** from (i) and (ii) alone.)

## (F) Volumetric Flowrates (Reference Method US-EPA Method 2, NSW-EPA TM-2)

$$Q_{\text{stack}} = V_s \times A = 2.59 \text{ m}^3/\text{s} \text{ (stack conditions)}$$

$$Q_{\text{std}} = Q_{\text{stack}} \times \frac{P_s}{(P_{\text{std}})} \times \frac{(T_{\text{std}})}{(T_s)} \times \frac{(100 - B_w)}{100}$$

$$Q_{\text{std}} = 2.4 \text{ m}^3/\text{s} \text{ (0°C, dry gas, 1 atm pressure)}$$

## (G) Mass Emission Rate

$$\begin{aligned} R_m &= C_{1a} \times Q_{\text{std}} = 0.00048 \text{ g/s (0°C, dry gas, 1 atm pressure)} \\ &= 0.48 \text{ mg/s (0°C, dry gas, 1 atm pressure)} \end{aligned}$$



## Emission Measurement Calculations Spreadsheet

Q4AN(EV)-332-FM31

EMISSION MONITORING RESULTS, SHREDDER STACK ONESTEEL HEXHAM 29-Jun-18 FINE PARTICULATE (PM10) TOTAL PARTICULATE HAZARDOUS SUBSTANCES (METALS)		
<b>Sampling Conditions:</b>		
Stack internal diameter at test location	760 mm	
Stack gas temperature (average)	19.0 °C	292.2 K
Stack pressure (average)	1022 hPa	
Stack gas velocity (average, stack conditions)	5.7 m/s	
Stack gas flowrate (stack conditions)	2.6 m <sup>3</sup> /s	
Stack gas flowrate (0°C, dry gas, 1 atm pressure)	2.4 m <sup>3</sup> /s	
<b>Fine Particulate (PM10) Testing</b>		
Test Period	12:00	- 14:01
Fine Particulate (PM10) Mass	0.7 mg	
Gas Volume Sampled	0.951 m <sup>3</sup>	
Fine Particulate (PM10) Emission*1	0.74 mg/m <sup>3</sup>	
Fine Particulate (PM10) Mass Emission Rate*2	1.8 mg/s	
Regulatory Limit	N/A	
<b>Total Particulate Testing</b>		
Test Period	12:00	- 14:01
Total Particulate Mass	5.8 mg	
Gas Volume Sampled	0.782 m <sup>3</sup>	
Total Particulate Emission*1	7.4 mg/m <sup>3</sup>	
Total Particulate Mass Emission Rate*2	18 mg/s	
Regulatory Limit	100 mg/m <sup>3</sup>	
<b>Hazardous Substances (Metals) Testing</b>		
Test Period	12:00	- 14:01
Hazardous Substances (Metals) Mass	0.24 mg	
Gas Volume Sampled	1.23 m <sup>3</sup>	
Hazardous Substances (Metals) Emission*1	0.2 mg/m <sup>3</sup>	
Hazardous Substances (Metals) Mass Emission Rate*2	0.48 mg/s	
Regulatory Limit	N/A	
<b>Moisture Content (%)</b>		
	1.3	
<b>Gas Density (dry at 1 atmosphere)</b>		
	1.29 kg/m <sup>3</sup>	
<b>Dry Molecular Weight</b>		
	28.8 g/g-mole	

Notes \*1 Emission concentration at Standard conditions of 0°C, 1 atm, dry gas

\*2 Mass emission rate determined from pre and post test sampling flow measurements and the respective test moisture content. See Q<sub>std</sub> in field sheets and final calculations "Stack Analysis - Final Calculations" for each test.





# Appendix B

Laboratory Results  
(8 pages)

## Appendix B    Laboratory Results (8 pages)

# Steel River Testing

5/11 McIntosh Drive, Mayfield West, NSW 2304  
Phone: 02 49677880

## STACK EMISSION - PARTICULATES REPORT

**Origin:** AECOM - Newcastle  
**Project:** 60493017

**Report :** 16318-0-P Page 1 of 1

**Description :** Stack Emission Samples  
Received: 02-Jul-18

**Date :** 04-Jul-18

**Report To :** Colin Clarke  
17 Warabrook Blvd, Warabrook NSW 2304

**Copy to:** FILE

---

Thimble ID		Volume (mL)	Total Particulate Matter (g)
T573	Filter	-	0.0007
T574	Filter	-	0.0058



NATA Accredited Laboratory 18079  
Accredited for compliance with  
ISO/IEC 17025 - Testing

*Note : Sampled by Client*

**Reported By:** Jason Campbell  
Jason Campbell

Determined in Accordance With:  
Particulate matter - total in stack gases by  
gravimetric using in-house M300;  
Acetone/Water Rinse using AS4323.2

**STACK EMISSION - MOISTURE REPORT**

**Origin:** AECOM - Newcastle

**Report :** 16318-0-M

Page 1 of 1

**Project:** 60493017

**Description :** Stack Emission Samples

**Date :** 04-Jul-18

Received: 02-Jul-18

**Report To :** Colin Clarke

**Copy to:** FILE

17 Warabrook Blvd, Warabrook NSW 2304

---

Jar ID	Moisture (g)
192	6.3
P32	8.8
VK1	3.4



## ANALYTICAL REPORT



Accreditation No. 2562

### CLIENT DETAILS

Contact **Colin Clarke**  
Client **AECOM Australia Pty Ltd**  
Address **17 Warabrook Boulevard  
Warabrook  
NSW 2304**  
  
Telephone **02 8295 3600**  
Facsimile **02 8934 0001**  
Email **colin.clarke@aecom.com**  
  
Project **(Not specified)**  
Order Number **60493017/3.1**  
Samples **12**

### LABORATORY DETAILS

Manager **Adam Atkinson**  
Laboratory **SGS Melbourne EH&S**  
Address **10/585 Blackburn Road  
Notting Hill Victoria 3168**  
  
Telephone **+61395743200**  
Facsimile **+61395743399**  
Email **Au.SampleReceipt.Melbourne@sgs.com**  
  
SGS Reference **ME307210 R0**  
Date Received **03 Jul 2018**  
Date Reported **12 Jul 2018**

### COMMENTS

Accredited for compliance with ISO/IEC 17025 - Testing. NATA accredited laboratory 2562(14420).

### SIGNATORIES

**Ryan Zhang**  
Team Leader

	Sample Number	ME307210.001	ME307210.002	ME307210.003	ME307210.004
	Sample Matrix	Filter	Filter	Impinger	Impinger
	Sample Date	29 Jun 2018	29 Jun 2018	Solution	Solution
	Sample Name	Metals No. 1	Metals No. 12	29 Jun 2018	29 Jun 2018
				Metals No. 3	Metals No. 4
Parameter	Units	LOR			

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29\_FILT Tested: 4/7/2018

Sb	µg total	0.05	0.12	<0.05	-	-
As	µg total	0.05	0.68	0.66	-	-
Be	µg total	0.05	<0.05	<0.05	-	-
Cd	µg total	0.05	0.09	<0.05	-	-
Cr	µg total	0.05	2.1	2.2	-	-
Co	µg total	0.05	<0.05	<0.05	-	-
Cu	µg total	0.05	0.81	0.45	-	-
Pb	µg total	0.05	2.1	0.55	-	-
Mg	µg total	0.05	250	260	-	-
Mn	µg total	0.05	1.7	1.4	-	-
Hg	µg total	0.05	0.06	<0.05	-	-
Ni	µg total	0.05	0.30	0.15	-	-
Se	µg total	0.05	0.30	0.22	-	-
Tl	µg total	0.05	0.10	<0.05	-	-
Sn	µg total	0.05	0.48	0.18	-	-
V	µg total	0.25	<0.25	<0.25	-	-
Zn	µg total	0.05	6000	6300	-	-

Metals in Impingers M29 ETC MA-1400.JMP.M29.06 (ug total) Method: EPA29\_METIMP Tested: 6/7/2018

Sb	µg total	0.1	-	-	0.5	0.2
As	µg total	0.1	-	-	0.2	0.1
Be	µg total	0.1	-	-	<0.1	<0.1
Cd	µg total	0.1	-	-	0.8	0.5
Cr	µg total	0.1	-	-	2.7	0.4
Co	µg total	0.1	-	-	0.4	<0.1
Cu	µg total	0.1	-	-	15	0.3
Pb	µg total	0.1	-	-	150	1.3
Mg	µg total	0.1	-	-	62	7.3
Mn	µg total	0.1	-	-	12	16
Hg	µg total	0.1	-	-	<0.1	0.1
Ni	µg total	0.1	-	-	3.4	0.4
Se	µg total	0.1	-	-	0.3	0.8
Tl	µg total	0.1	-	-	<0.1	<0.1
Sn	µg total	0.1	-	-	1.3	17
V	µg total	0.1	-	-	0.4	<0.1
Zn	µg total	0.1	-	-	600	9.9
Sample Volume*	mL	-	-	-	95	310





# ANALYTICAL REPORT

ME307210 R0

Sample Number	ME307210.005	ME307210.006	ME307210.007	ME307210.008
Sample Matrix	Impinger	Impinger	Impinger	Impinger
Sample Date	Solution	Solution	Solution	Solution
Sample Name	29 Jun 2018	29 Jun 2018	29 Jun 2018	29 Jun 2018
	Metals No. 8A	Metals No. 9	Metals No. 5A	Metals No. 5C

Parameter Units LOR

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29\_FILT Tested: 6/7/2018

Sb	µg total	0.05	-	-	-	-
As	µg total	0.05	-	-	-	-
Be	µg total	0.05	-	-	-	-
Cd	µg total	0.05	-	-	-	-
Cr	µg total	0.05	-	-	-	-
Co	µg total	0.05	-	-	-	-
Cu	µg total	0.05	-	-	-	-
Pb	µg total	0.05	-	-	-	-
Mg	µg total	0.05	-	-	-	-
Mn	µg total	0.05	-	-	-	-
Hg	µg total	0.05	-	-	-	-
Ni	µg total	0.05	-	-	-	-
Se	µg total	0.05	-	-	-	-
Tl	µg total	0.05	-	-	-	-
Sn	µg total	0.05	-	-	-	-
V	µg total	0.25	-	-	-	-
Zn	µg total	0.05	-	-	-	-

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (ug total) Method: EPA29\_METIMP Tested: 4/7/2018

Sb	µg total	0.1	0.6	0.5	-	-
As	µg total	0.1	<0.1	<0.1	-	-
Be	µg total	0.1	<0.1	<0.1	-	-
Cd	µg total	0.1	<0.1	0.3	-	-
Cr	µg total	0.1	<0.1	<0.1	-	-
Co	µg total	0.1	<0.1	<0.1	-	-
Cu	µg total	0.1	<0.1	<0.1	-	-
Pb	µg total	0.1	<0.1	<0.1	-	-
Mg	µg total	0.1	0.5	0.2	-	-
Mn	µg total	0.1	<0.1	<0.1	-	-
Hg	µg total	0.1	<0.1	<0.1	<0.1	<0.1
Ni	µg total	0.1	<0.1	<0.1	-	-
Se	µg total	0.1	0.2	0.1	-	-
Tl	µg total	0.1	<0.1	<0.1	-	-
Sn	µg total	0.1	0.5	13	-	-
V	µg total	0.1	<0.1	<0.1	-	-
Zn	µg total	0.1	0.7	<0.1	-	-
Sample Volume*	mL	-	300	200	98	250



# ANALYTICAL REPORT

ME307210 R0

Sample Number	ME307210.009	ME307210.010	ME307210.011	ME307210.012
Sample Matrix	Impinger	Impinger	KMnO4	KMnO4
Sample Date	Solution	Solution	29 Jun 2018	29 Jun 2018
Sample Name	29 Jun 2018	29 Jun 2018	Metals No. 5B	Metals No. 10
	Metals No. 8B	Metals No. 11		
Parameter	Units	LOR		

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29\_FILT Tested: 6/7/2018

Sb	µg total	0.05	-	-	-	-
As	µg total	0.05	-	-	-	-
Be	µg total	0.05	-	-	-	-
Cd	µg total	0.05	-	-	-	-
Cr	µg total	0.05	-	-	-	-
Co	µg total	0.05	-	-	-	-
Cu	µg total	0.05	-	-	-	-
Pb	µg total	0.05	-	-	-	-
Mg	µg total	0.05	-	-	-	-
Mn	µg total	0.05	-	-	-	-
Hg	µg total	0.05	-	-	-	-
Ni	µg total	0.05	-	-	-	-
Se	µg total	0.05	-	-	-	-
Tl	µg total	0.05	-	-	-	-
Sn	µg total	0.05	-	-	-	-
V	µg total	0.25	-	-	-	-
Zn	µg total	0.05	-	-	-	-

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (µg total) Method: EPA29\_METIMP Tested: 4/7/2018

Sb	µg total	0.1	-	-	-	-
As	µg total	0.1	-	-	-	-
Be	µg total	0.1	-	-	-	-
Cd	µg total	0.1	-	-	-	-
Cr	µg total	0.1	-	-	-	-
Co	µg total	0.1	-	-	-	-
Cu	µg total	0.1	-	-	-	-
Pb	µg total	0.1	-	-	-	-
Mg	µg total	0.1	-	-	-	-
Mn	µg total	0.1	-	-	-	-
Hg	µg total	0.1	<0.1	<0.1	<0.1	<0.1
Ni	µg total	0.1	-	-	-	-
Se	µg total	0.1	-	-	-	-
Tl	µg total	0.1	-	-	-	-
Sn	µg total	0.1	-	-	-	-
V	µg total	0.1	-	-	-	-
Zn	µg total	0.1	-	-	-	-
Sample Volume*	mL	-	100	250	400	100



MB blank results are compared to the Limit of Reporting

LCS and MS spike recoveries are measured as the percentage of analyte recovered from the sample compared the the amount of analyte spiked into the sample.

DUP and MSD relative percent differences are measured against their original counterpart samples according to the formula : *the absolute difference of the two results divided by the average of the two results as a percentage*. Where the DUP RPD is 'NA', the results are less than the LOR and thus the RPD is not applicable.

Metals in Filters M29 ETC MA-1400.FL.M29.02 USEPA M29 Method: EPA29\_FILT

Parameter	QC Reference	Units	LOR	MB	LCS %Recovery
Sb	LB021166	µg total	0.05	<0.05	NA
As	LB021166	µg total	0.05	<0.05	NA
Be	LB021166	µg total	0.05	<0.05	NA
Cd	LB021166	µg total	0.05	<0.05	NA
Cr	LB021166	µg total	0.05	<0.05	NA
Co	LB021166	µg total	0.05	<0.05	NA
Cu	LB021166	µg total	0.05	<0.05	NA
Pb	LB021166	µg total	0.05	<0.05	NA
Mg	LB021166	µg total	0.05	<0.05	NA
Mn	LB021166	µg total	0.05	<0.05	NA
Hg	LB021166	µg total	0.05	<0.05	NA
Ni	LB021166	µg total	0.05	<0.05	NA
Se	LB021166	µg total	0.05	<0.05	NA
Tl	LB021166	µg total	0.05	<0.05	NA
Sn	LB021166	µg total	0.05	<0.05	NA
V	LB021166	µg total	0.25	<0.25	NA
Zn	LB021166	µg total	0.05	<0.05	NA

Metals in Impingers M29 ETC MA-1400.IMP.M29.06 (µg total) Method: EPA29\_METIMP

Parameter	QC Reference	Units	LOR	MB	LCS %Recovery
Sb	LB021169	µg total	0.1	<0.1	
As	LB021169	µg total	0.1	<0.1	
Be	LB021169	µg total	0.1	<0.1	
Cd	LB021169	µg total	0.1	<0.1	
Cr	LB021169	µg total	0.1	<0.1	
Co	LB021169	µg total	0.1	<0.1	
Cu	LB021169	µg total	0.1	<0.1	
Pb	LB021169	µg total	0.1	<0.1	
Mg	LB021169	µg total	0.1	<0.1	
Mn	LB021169	µg total	0.1	<0.1	
Hg	LB021169	µg total	0.1	<0.1	
Ni	LB021169	µg total	0.1	<0.1	
Se	LB021169	µg total	0.1	<0.1	
Tl	LB021169	µg total	0.1	<0.1	
Sn	LB021169	µg total	0.1	<0.1	
V	LB021169	µg total	0.1	<0.1	
Zn	LB021169	µg total	0.1	<0.1	
Sample Volume*	LB021169	mL	-	1.0	NA

### METHOD

### METHODOLOGY SUMMARY

#### EPA 29

Analysis of acid-leachable metals by Inductively Coupled Plasma-Mass Spectrometer (ICP-MS). This method is based on USEPA 3051A, USEPA M29, and USEPA 6020A.  
 . Filters are digested using the appropriate sample preparation methods.  
 A representative sample is extracted in concentrated acid using microwave heating by the CEM-MarsXPress (with Built-in USEPA method) Microwave Digestion system. The sample and acid are placed in a microwave vessel (TFM), which is then capped and heated in the microwave unit. After cooling, the vessel contents are diluted with DI water, then filtered/settled/centrifuged and analysed by ICP MS.

#### EPA29

This method covers the analysis of acid-leachable metals by Inductively Coupled Plasma-Mass Spectrometer (ICP-MS). This method is based on USEPA M29, USEPA 3015A and USEPA 6020A.  
 Prior to analysis, samples are be solubilised or digested using the appropriate sample preparation methods.

### FOOTNOTES

IS Insufficient sample for analysis.  
 LNR Sample listed, but not received.  
 \* NATA accreditation does not cover the performance of this service.  
 \*\* Indicative data, theoretical holding time exceeded.

LOR Limit of Reporting  
 ↑↓ Raised or Lowered Limit of Reporting  
 QFH QC result is above the upper tolerance  
 QFL QC result is below the lower tolerance  
 - The sample was not analysed for this analyte  
 NVL Not Validated

Samples analysed as received.  
 Solid samples expressed on a dry weight basis.

Where "Total" analyte groups are reported (for example, Total PAHs, Total OC Pesticides) the total will be calculated as the sum of the individual analytes, with those analytes that are reported as <LOR being assumed to be zero. The summed (Total) limit of reporting is calculated by summing the individual analyte LORs and dividing by two. For example, where 16 individual analytes are being summed and each has an LOR of 0.1 mg/kg, the "Totals" LOR will be 1.6 / 2 (0.8 mg/kg). Where only 2 analytes are being summed, the "Total" LOR will be the sum of those two LORs.

Some totals may not appear to add up because the total is rounded after adding up the raw values.

If reported, measurement uncertainty follow the ± sign after the analytical result and is expressed as the expanded uncertainty calculated using a coverage factor of 2, providing a level of confidence of approximately 95%, unless stated otherwise in the comments section of this report.

Results reported for samples tested under test methods with codes starting with ARS-SOP, radionuclide or gross radioactivity concentrations are expressed in becquerel (Bq) per unit of mass or volume or per wipe as stated on the report. Becquerel is the SI unit for activity and equals one nuclear transformation per second.

Note that in terms of units of radioactivity:

- 1 Bq is equivalent to 27 pCi
- 37 MBq is equivalent to 1 mCi

For results reported for samples tested under test methods with codes starting with ARS-SOP, less than (<) values indicate the detection limit for each radionuclide or parameter for the measurement system used. The respective detection limits have been calculated in accordance with ISO 11929.

The QC criteria are subject to internal review according to the SGS QAQC plan and may be provided on request or alternatively can be found here : <http://www.sgs.com.au/~media/Local/Australia/Documents/Technical%20Documents/MP-AU-ENV-QU-022%20QA%20QC%20Plan.pdf>

This document is issued by the Company under its General Conditions of Service accessible at [www.sgs.com/en/Terms-and-Conditions.aspx](http://www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client only. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law .

This report must not be reproduced, except in full.

