

Licence 6125
 Link to Licence <http://www.environment.nsw.gov.au/prpoeoapp/>
 Name OneSteel NSW Pty Ltd
 Address 22 Kellogg Road, Rooty Hill
 Location of Monitoring Point/Area Point 1
 Monitoring Completed Bi-annual air emissions monitoring
 Sample Received 09-Apr-18
 Data Obtained 11-May-18

Pollutant	Units of Measure	Monitoring frequency required by Licence	Value	100 percentile limit	Exceedance (Y/N)	Comments
Cadmium	milligrams per cubic metre	Every 6 months	0.0026	0.2	N	
Dioxins & Furans	nanograms per cubic metre	Every 6 months	0.04	0.1	N	Value is the 24 month moving average as required by EPL 6125 (L3.6)
Mercury	milligrams per cubic metre	Every 6 months	0.0022	0.2	N	
Solid Particles Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	Every 6 months	2.5	20	N	
Volatile organic compounds	milligrams per cubic metre	Every 6 months	0.06	1	N	
Carbon dioxide	percent	Every 6 months	0.37	40	N	
Dry gas density	kilograms per cubic metre	Every 6 months	0.9	N/A		
Moisture	percent	Every 6 months	1.29	N/A		
Molecular weight of stack gases	grams per gram mole	Every 6 months	2.4	N/A		
Oxygen (O ₂)	percent	Every 6 months	28.9	N/A		
Velocity	metres per second	Every 6 months	20.3	N/A		
Volumetric flowrate	cubic metres per second	Every 6 months	16	N/A		
			170	N/A		