

Licence 11149
 Link to Licence <http://app.epa.nsw.gov.au/prpoeoapp/>
 Name Liberty OneSteel Wire
 Address Industrial Drive, Mayfield, NSW, 2304
 Location of Monitoring Point/Area Point 1

Monthly Summary for: Jun-18
 Sample Received Monthly sample received 6/6/2018 Other daily and continuous measurements performed through June 2018 .
 Data Obtained 06-Jul-18

Pollutant	Units of Measure	Monitoring frequency required by Licence	No of times measured				Exceedance (Y/N)	Comments
			during month	Min value	Max value	100 percentile limit		
Nitrogen (ammonia)	mg/L	Monthly	1	N/A	<1	30	N	
Total Copper	micrograms/L	Monthly	1	N/A	2	N/A	N	
Total Iron	mg/L	Monthly	1	N/A	0.2	2	N	
Total Lead	micrograms/L	Monthly	1	N/A	<1	50	N	
Total Manganese	mg/L	Monthly	1	N/A	<0.1	0.5	N	
Total Suspended Solids	mg/L	Monthly	1	N/A	<1	20	N	
Total Zinc	mg/L	Monthly	1	N/A	<0.1	2	N	
pH	pH	Continuous	Continuous	7.7	8.45	6.5-8.5	N	
Temperature	degrees Celsius	Continuous	Continuous	N/A	33	42	N	
Volume	kL/day	Daily	Daily	56	506	700	N	

Licence 11149
 Link to Licence <http://app.epa.nsw.gov.au/prpoeoapp/>
 Name Liberty OneSteel Wire
 Address Industrial Drive, Mayfield, NSW, 2304

Location of Monitoring Point/Area Point 39

Monthly Summary for: Jun-18
 Sample Received Monthly sample received 6/6/2018 . Oil and grease 04/6/2018.
 Other daily and continuous measurements performed through June 2018.

Data Obtained 06-Jul-18

Pollutant	Units of Measure	Monitoring frequency required by Licence	No of times measured				Exceedance (Y/N)	Comments
			during month	Min value	Max value	100 percentile limit		
Chromium (hexavalent)	mg/L	Monthly	1	N/A	<0.005	0.01	N	
Nitrogen (ammonia)	mg/L	Monthly	1	N/A	<1	N/A	N	
Phosphate	mg/L	Monthly	1	N/A	2.2	10	N	
Total Copper	micrograms/L	Monthly	1	N/A	53	N/A	N	
Total Iron	mg/L	Monthly	1	N/A	0.5	5	N	
Total Lead	micrograms/L	Monthly	1	N/A	<1	N/A	N	
Total Manganese	mg/L	Monthly	1	N/A	<0.1	0.5	N	
Total Suspended Solids	mg/L	Monthly	1	N/A	1	50	N	
Total Zinc	mg/L	Monthly	1	N/A	1.3	3	N	
Oil and Grease	mg/L	Monthly	1	N/A	<5	20	N	
pH	pH	Continuous	Continuous	7.1	8.1	6.5-8.5	N	
Temperature	degrees Celsius	Continuous	Continuous	N/A	31	38	N	
Volume	kL/day	Daily	Daily	0	698	200	N*	

* A Rain Discharge on the 19th of June occurred under Section L3.2 of Licence 11149 .