

Licence 11149
 Link to Licence <http://app.epa.nsw.gov.au/prpoeoapp/>
 Name **InfraBuild - Wire**
 Address Industrial Drive, Mayfield, NSW, 2304

Location of Monitoring Point/Area **Point 39**

Monthly Summary for: **Apr-21**
 Sample Received Monthly sample received 1/4/21 . Oil and Grease 1/4/2021 .
 Other daily and continuous measurements performed through April 2021.

Data Obtained 06/05/2021

Pollutant	Units of Measure	Monitoring frequency required by Licence	No of times measured during month	Min value	Max value	100 percentile limit	Exceedance (Y/N)	Comments
Chromium (hexavalent)	mg/L	Monthly	1	N/A		0.01	N	Chrome removed from Licence requirements 3/12/2019
Nitrogen (ammonia)	mg/L	Monthly	1	N/A	<1	N/A	N	
Phosphorus	mg/L	Monthly	1	N/A	0.65	10	N	
Total Copper	micrograms/L	Monthly	1	N/A	4	N/A	N	
Total Iron	mg/L	Monthly	1	N/A	0.2	5	N	
Total Lead	micrograms/L	Monthly	1	N/A	<1	N/A	N	
Total Manganese	mg/L	Monthly	1	N/A	<0.1	0.5	N	
Total Suspended Solids	mg/L	Monthly	1	N/A	5	50	N	
Total Zinc	mg/L	Monthly	1	N/A	<0.1	3	N	
Oil and Grease	mg/L	Monthly	1	N/A	<5	20	N	
pH	pH	Continuous	Continuous	7.4	7.8	6.5-8.5	N	
Temperature	degrees Celsius	Continuous	Continuous	N/A	37.1	38	N	
Volume	kL/day	Daily	Daily	0	198	200	N	

Note: No rain or maintenance related discharges this month