

Licence 6125
 Link to Licence <http://www.environment.nsw.gov.au/prpoeoapp/>
 Name OneSteel NSW Pty Ltd
 Address 22 Kellogg Road, Rooty Hill
 Location of Monitoring Point/Area Point 1
 Monitoring Completed Bi-annual air emissions monitoring
 Sample Received 27 May & 30 June 2012
 Data Obtained 22-Aug-12

| Pollutant | Units of Measure | Monitoring frequency required by Licence | Value | 100 percentile limit | Exceedance (Y/N) | Comments |
|-----------------------------------|----------------------------|---|--------------|-----------------------------|-------------------------|---|
| Cadmium | milligrams per cubic metre | Every 6 months | 0.01 | 0.2 | N | |
| Dioxins & Furans | nanograms per cubic metre | Every 6 months | 0.053 | 0.1 | N | Value is the 24 month moving average as required by EPL 6125 (L3.4) |
| Mercury | milligrams per cubic metre | Every 6 months | 0.005 | 0.2 | N | |
| Solid Particles Type 1 and Type 2 | milligrams per cubic metre | Every 6 months | 1.7 | 20 | N | |
| substances in aggregate | milligrams per cubic metre | Every 6 months | 0.55 | 1 | N | |
| Volatile organic compounds | milligrams per cubic metre | Every 6 months | 0.8 | 40 | N | |
| Carbon dioxide | percent | Every 6 months | 0.7 | N/A | | |
| Dry gas density | kilograms per cubic metre | Every 6 months | 1.29 | N/A | | |
| Moisture | percent | Every 6 months | 2.3 | N/A | | |
| Molecular weight of stack gases | grams per gram mole | Every 6 months | 28.8 | N/A | | |
| Oxygen (O ₂) | percent | Every 6 months | 20.4 | N/A | | |
| Velocity | metres per second | Every 6 months | 18 | N/A | | |
| Volumetric flowrate | cubic metres per second | Every 6 months | 190 | N/A | | |