



<b>Licence</b>	11149
<b>Link to Licence</b>	<a href="http://app.epa.nsw.gov.au/prpoeoapp/">http://app.epa.nsw.gov.au/prpoeoapp/</a>
<b>Address</b>	Industrial Drive, Mayfield, NSW, 2304
<b>Location of Monitoring Point/Area</b>	<b>Point 39</b>
<b>Monthly Summary for:</b>	<b>Jun-22</b>
<b>Sample Received</b>	Sample received 2 nd of June . Oil and Grease 2 rd June . Other daily and continuous measurements performed through June 2022.
<b>Data Obtained</b>	07/06/2022



Pollutant	Units of Measure	Monitoring frequency required by Licence	No of times measured during month	Min value	Max value	100 percentile limit	Exceedance (Y/N)	Comments
Chromium (hexavalent)	mg/L	Monthly				0.01	N	Chrome removed from Licence requirements 3/12/2019
Nitrogen (ammonia)	mg/L	Monthly	1	N/A	<1	N/A	N	
Phosphorus	mg/L	Monthly	1	N/A	<0.01	10	N	
Total Copper	micrograms/L	Monthly	1	N/A	4	N/A	N	
Total Iron	mg/L	Monthly	1	N/A	<0.1	5	N	
Total Lead	micrograms/L	Monthly	1	N/A	<1	N/A	N	
Total Manganese	mg/L	Monthly	1	N/A	0.005	0.5	N	
Total Suspended Solids	mg/L	Monthly	1	N/A	<1	50	N	
Total Zinc	mg/L	Monthly	1	N/A	0.26	3	N	
Oil and Grease	mg/L	Monthly	1	N/A	<5	20	N	
pH	pH	Continuous	Continuous	7.4	7.8	6.5-8.5	N	
Temperature	degrees Celsius	Continuous	Continuous	N/A	31.5	38	N	
Volume	kL/day	Daily	Daily	0	145	200	N	

--	--