

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
| Licence                           | 6125                                                                                                    |
| Link to Licence                   | <a href="http://www.environment.nsw.gov.au/prpoeoapp/">http://www.environment.nsw.gov.au/prpoeoapp/</a> |
| Name                              | Infrabuild NSW PTY LTD                                                                                  |
| Address                           | 22 Kellogg Road, Rooty Hill                                                                             |
| Location of Monitoring Point/Area | Point 4 - 8                                                                                             |
| Monitoring Completed              | Groundwater quality monitoring                                                                          |
| Date Sampled:                     | 7-Jul-22                                                                                                |
| Sample Received                   | 11-Jul-22                                                                                               |
| Data Obtained                     | 16-Aug-22                                                                                               |

| Pollutant               |           | Units of Measure            | Monitoring frequency required by Licence | Point 4 | Point 5 | Point 6 | Point 7 | Point 8 | Comments |
|-------------------------|-----------|-----------------------------|------------------------------------------|---------|---------|---------|---------|---------|----------|
| Aluminium               | dissolved | milligrams per litre        | Yearly                                   | <0.01   | <0.01   | <0.01   | <0.01   | <0.01   |          |
| Arsenic                 | dissolved | milligrams per litre        | Yearly                                   | <0.001  | <0.001  | <0.001  | <0.001  | <0.001  |          |
| Cadmium                 | dissolved | milligrams per litre        | Yearly                                   | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |          |
| Chromium                | dissolved | milligrams per litre        | Yearly                                   | <0.001  | <0.001  | <0.001  | <0.001  | <0.001  |          |
| Cobalt                  | dissolved | milligrams per litre        | Yearly                                   | 0.002   | 0.002   | 0.003   | 0.004   | <0.001  |          |
| Copper                  | dissolved | milligrams per litre        | Yearly                                   | <0.001  | <0.001  | <0.001  | <0.001  | <0.001  |          |
| Electrical Conductivity |           | microsiemens per centimetre | Yearly                                   | 21700   | 11800   | 9000    | 14100   | 5830    |          |
| Iron                    | dissolved | milligrams per litre        | Yearly                                   | <0.05   | <0.05   | 0.34    | <0.05   | <0.05   |          |
| Lead                    | dissolved | milligrams per litre        | Yearly                                   | <0.001  | <0.001  | <0.001  | <0.001  | <0.001  |          |
| Manganese               | dissolved | milligrams per litre        | Yearly                                   | 1.14    | 0.389   | 1.05    | 1.6     | 0.027   |          |
| Mercury                 | dissolved | milligrams per litre        | Yearly                                   | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |          |
| Nickel                  | dissolved | milligrams per litre        | Yearly                                   | <0.001  | 0.002   | 0.002   | 0.002   | 0.001   |          |
| pH                      | field     | -                           | Yearly                                   | 6.2     | 6.29    | 6.3     | 6.45    | 6.86    |          |
| Zinc                    | dissolved | milligrams per litre        | Yearly                                   | 0.012   | <0.005  | 0.014   | 0.026   | <0.005  |          |